



# CATA Model Jambette

THE LARGEST OUTDOOR PLAYGROUND MANUFACTURER IN CANADA







## Table



OPEN TO THE WORLD. PLAYING OUR HEARTS OUT. JAMBETTE, CITIZEN OF THE WORLD



NEW PRODUCTS



#### **J3 PLAY STRUCTURES**

5 to 12 years old24	
18 months to 12 years old50	
18 months to 5 years old76	



PSYCHOMOTOR COURSES



J2 INDIVIDUAL COMPONENTS

## of Contents



25	NIN-KA
30	SUPER CLIMBERS



THE OUTDOOR CLASSROOM

**J6 MANTA CIRCUITS** 



MY FREE PLAY



INCLUSIVE APPROACH



#### PLAYGROUND EQUIPMENT

Spinners and slides	172
Clicfix	176
Climbers and teeter totters	177
Cable structures	186
Spring riders	187
Ground level play panels	
and creative spaces	193
Musical instruments	202
Swing sets	204
Ball games	209
Soccer goals and nets	210
Müel multisport fields	211



#### FYZIK FITNESS CIRCUITS



KINESIS OUTDOOR FITNESS EQUIPMENT



PARK FURNISHINGS



#### **TECHNICAL INFORMATION**

About Jambette	233
Production process	235
Anchoring system	237
Parts and accessories	238
Colours and galvanization	239



WARRANTIES

5

## Open to the world. Playing our hearts out.

Jambette, citizen of the world

At Jambette, we believe it's up to us all to build **a better world**.

We dare to dream of a world without borders – one where all are embraced and treated as equals.

We envision a place where inclusivity, sharing and generosity are the driving forces of society.

We create environments that are **accessible**, welcoming and safe.

## We want...

your neighbourhood and city to thrive in harmony with their beautiful parks, delighting in the songs of the birds and the laughter of the children at play.

## We want...

Susan to stay fit thanks to her morning walk in the park.
Liam to build his self-confidence by scaling the small climbing wall.
Camila to learn to wait her turn in front of the slide.
Aubrey to have fun despite her disability.
Baby Joaquín to discover the gentle caress of the wind on his face as he rocks back and forth.
Felix and Gerald to appreciate each other and their differences.
Emma and Kareem to help each other and build a game together.
Colleen to feel safe walking her dog at night.
Mateo to enjoy exercising outside.

### We want...


teens to get together, socialize and hang out.friends to throw the ball around freely.families to host picnics and celebrate the youngest's birthday.

### We want to be...

the source of new friendships. the spark that sets love stories in motion. the magic word that makes children's eyes shine. the catalyst for a lifetime of learnings.

#### At Jambette, we create worlds as grand and beautiful as a child's imagination.





## Inicio

#### Inicio is the perfect module to develop psychomotricity.

Children will enjoy climbing the structure and getting inside through its large openings in a range of shapes, where they will discover a number of features to enhance their sensory development. And why not complete their experience by sliding down to the ground between huge leaves to start all over again? An adventure of fun and discovery!

#### Inicio 🔏

MODEL	AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
G-22013	18 months to 5 years old	24 children	24' x 21' / 7.3 m x 6.4 m	4' 4" / 1.3 m	2' / 0.6 m



Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.

3 T

This logo identifies products that are wheelchair accessible in accordance with Appendix H of the CAN/CSA-Z614 standard and the *Americans with Disabilities Act Accessibility Guidelines (ADAAG)*.





## **VOL**

**AGE GROUP** 5 to 12 years old

**CAPACITY** 40 children

**CSA AND ASTM FALL HEIGHT** 13' 4" / 4.1 m

**SURFACE AREA REQUIRED** 25' x 24' / 7.6 m x 7.3 m

#### The super climber scaling up the challenges!

Volte is a super climber offering a wide range of possibilities to young adventurers who want to climb, hang or simply feel the wind on their faces.

Up to 40 children can play on the remarkably versatile Volte. Featuring a unique design, the module can be installed on its own on a playground, combined or completed with additional components for extra challenges, or integrated into a psychomotor module for added exclusive climbing features.







Volte combined with two new J2 elements

VT-21001-5B

Volte integrated into a psychomotor module

M-22120-HB





L-22000-A

## The sensory tunnel

#### Enjoy a special sensory experience with this playground equipment!

Go through the tunnel and discover a world of colours and textures that build handling skills and dexterity, in a calm and secure setting. Jambette's sensory tunnel is a small world of its own, where discovery of the senses and communication is encouraged while ensuring inclusion through easy access for wheelchairs and other children's mobility aids.

#### This logo identifies products that are wheelchair accessible in accordance with Appendix H of the CAN/CSA-Z614 standard and the **Americans with Disabilities Act Accessibility Guidelines (ADAAG)**.

MODEL	TYPE	AGE GROUP	CAPACITY
L-22000-A / L-22000-B	Short	18 months to 12 years old	5 children
L-21083-A / L-21083-B	Double	18 months to 12 years old	10 children
L-22001-A / L-22001-B	Double	18 months to 12 years old	10 children



Tunnel without flexible partial walls for wheelchair access (L-22001-A and L-22001-B)

Wheelchair accessible



L-22001-A



#### **SENSORY TUNNEL COMPONENTS**

E - Visible from outside the tunnel

Also available on the J3 series play modules. Enhance your future play structure with these fun and unique elements.





#### **Nin-Ka Parkours**

## nın.Ka

#### Agility, speed and fun!

Put kids' skills to the test with our brand-new Parkours products for children aged 5 to 12.

These products are great for them to run, jump and crawl!

They will have fun grabbing onto the modules using the rings, the handles and the other course components.

The Nin-Ka line of products offers a range of obstacles for maximum fun!

MODEL	AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
K-22000	5 to 12 years old	3 children	20' x 17' / 6.1 m x 5.2 m	2'3" / 0.7 m
K-22001	5 to 12 years old	3 children	21' x 16' / 6.4 m x 4.9 m	1'3" / 0.4 m
K-22002	5 to 12 years old	5 children	23' x 14' / 7 m x 4.3 m	7' 9" / 2.4 m
K-22003	5 to 12 years old	5 children	23' x 18' / 7 m x 5.5 m	9'3" / 2.8 m
K-22004	5 to 12 years old	3 children	15' x 13' / 4.6 m x 4 m	9'1" / 2.8 m
K-22005	5 to 12 years old	8 children	24' x 23' / 7.3 m x 7 m	8'9" / 2.7 m
K-22006	5 to 12 years old	5 children	23' x 13' / 7 m x 4 m	9' 3" / 2.8 m
K-22007	5 to 12 years old	10 children	30' x 17' / 9.1 m x 5.2 m	7'1" / 2.2 m
K-22008	5 to 12 years old	5 children	21' x 17' / 6.4 m x 5.2 m	7'1" / 2.2 m
K-22009	5 to 12 years old	5 children	21' x 17' / 6.4 m x 5.2 m	6' 6" / 2 m
K-22010	5 to 12 years old	1 child	17' x 16' / 5.2 m x 4.9 m	1'1" / 0.3 m
K-22011	5 to 12 years old	1 child	18' x 13' / 5.5 m x 4 m	3'0"/0.9 m
K-22012	5 to 12 years old	3 children	22' x 21' / 6.7 m x 6.4 m	9' 3" / 2.8 m
K-22013	5 to 12 years old	2 children	21' x 19' / 6.4 m x 5.8 m	7' 7" / 2.3 m
K-22014	5 to 12 years old	2 children	22' x 17' / 6.7 m x 5.2 m	7' 7" / 2.3 m
K-22016	5 to 12 years old	2 children	18' x 13' / 5.5 m x 4 m	1'3" / 0.4 m
K-22017	5 to 12 years old	3 children	25' x 13' / 7.6 m x 4 m	5' 6" / 1.7 m
K-22018	5 to 12 years old	2 children	21' x 16' / 6.4 m x 4.9 m	2' 6" / 0.8 m


















K-22009



K-22010

K-22011








!





K-22017

K-22014

K-22018

## leaf hideaway

#### A world of foliage and fun!

Welcome to the leaf hideaway, a world where exploration, communication, mutual support and wonder come together!

This set of leaves is designed to serve as shelter, seat or balancing structure. Children can enjoy hiding, climbing, sitting and hopping from one leaf to another. Below are some potential

layouts of the leaf components.

#### The leaf hideaway 🔏

MODEL	AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
J5-21000-5B	18 months to 12 years old	11 children	25' x 21' / 7.6 m x 6.4 m	3' 7" / 1.1 m
J5-21001-5B	18 months to 12 years old	15 children	26' x 23' / 7.9 m x 7 m	6'7" / 2 m
J5-21005-5B	18 months to 12 years old	13 children	29' x 21' / 8.8 m x 6.4 m	3' 7" / 1.1 m

J5-21001-5B



Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required. 



This logo identifies products that are wheelchair accessible in accordance with Appendix H of the CAN/CSA-Z614 standard and the Americans with Disabilities Act Accessibility Guidelines (ADAAG).





#### The leaf hideaway 🔏

MODEL	AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
G-21012	18 months to 12 years old	3 children	19' x 16' / 5.8 m x 4.9 m	2' 7" / 0.8 m
G-21013	18 months to 12 years old	4 children	19' x 16' / 5.8 m x 4.9 m	2'11" / 0.9 m
G-21014	18 months to 12 years old	4 children	20' x 17' / 6.1 m x 5.2 m	3' 7" / 1.1 m
G-21015	18 months to 12 years old	3 children	19' x 16' / 5.8 m x 4.9 m	2'0" / 0.6 m
G-21016	18 months to 12 years old	3 children	19' x 16' / 5.8 m x 4.9 m	3' 0" / 0.9 m
G-21017	18 months to 12 years old	1 child	17' x 16' / 5.2 m x 4.9 m	6' 7" / 2 m
G-21018	18 months to 12 years old	2 children	16' x 15' / 4.9 m x 4.6 m	3' 0" / 0.9 m
G-21019	18 months to 12 years old	1 child	14' x 13' / 4.3 m x 4 m	1' 0" / 0.3 m



G-21016







G-21018


# ERBA

#### Discover our brand-new climbing poles!

Sets of climbing tripods designed to challenge muscle strength, balance and coordination – The holds provide safe support for feet and hands.

The structure formed by these asymmetrical aluminium tube arches features a verticality sure to standout in your park.





G-22000 The 15-mast diamond set




Plan view

Plan view



G-22001 The 12-mast rectangular set





G-21007 9' Erba

G-21009 10' Erba

G-21010 11' Erba

Plan view




Plan view

The 18-mast hexagonal set



G-22004 The 15-mast circular set



The 27-mast circular set

#### Erba\*

		Plan view
G-2200	06	

G-22006 The 15-mast trapeze set

MODEL	NAME	AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
G-21007	9' Erba	5 to 12 years old	3 children	15' x 15' / 4.6 m x 4.6 m	4' 2" / 1.3 m
G-21009	10' Erba	5 to 12 years old	3 children	15' x 15' / 4.6 m x 4.6 m	4' 8" / 1.3 m
G-21010	11' Erba	5 to 12 years old	3 children	15' x 15' / 4.6 m x 4.6 m	5' 4" / 1.3 m
G-22000	The 15-mast diamond set	5 to 12 years old	15 children	23' x 23' / 7 m x 7 m	5' 4" / 1.7 m
G-22001	The 12-mast rectangular set	5 to 12 years old	12 children	20' x 18' / 6.1 m x 5.5 m	5' 4" / 1.7 m
G-22002	The 24-mast rectangular set	5 to 12 years old	24 children	25' x 20' / 7.6 m x 6.1 m	5' 4" / 1.7 m
G-22003	The 18-mast hexagonal set	5 to 12 years old	18 children	23' x 23' / 7 m x 7 m	5' 4" / 1.7 m
G-22004	The 15-mast circular set	5 to 12 years old	15 children	22' x 22' / 6.7 m x 6.7 m	5' 4" / 1.7 m
G-22005	The 27-mast circular set	5 to 12 years old	27 children	26' x 26' / 7.9 m x 7.9 m	5' 4" / 1.7 m
G-22006	The 15-mast trapeze set	5 to 12 years old	15 children	25' x 18' / 7.6 m x 5.5 m	5' 4" / 1.7 m

\* Installation on concrete slab 12" / 0.3 m in the ground



L-21027-5AB

## The gondola

Children will enjoy a very exciting sensory experience with this park equipment!

This platform rocks from right to left and provides all the space needed for two wheelchair users.

> The space lends to stimulating socialization for children with impaired mobility.

The gondola can also be part of a complete play module (see J3-22116-5HA, for example).

J3-22116-5HA

#### The gondola 🔏

MODEL	AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
L-21027-5AB	18 months to 12 years old	13 children	33' x 23' / 10.1 m x 7 m	3' 6" / 1.1 m



Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



This logo identifies products that are wheelchair accessible in accordance with Appendix H of the CAN/CSA-Z614 standard and the *Americans with Disabilities Act Accessibility Guidelines (ADAAG)*.



## Equilibra

#### It's like a buoy that floats along the waves of the sea. Plenty of fun for young adventurers!

Children are sure to enjoy swaying away on this playground product and socializing, while stimulating the development of their ear vestibular system.

Three coil springs developed specifically for Jambette by a major Canadian manufacturer provide the rocking motion of Equilibra. They are pinch-free for hands and feet.





#### Equilibra

MODEL	AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
LA-22003	18 months to 12 years old	4 children	18' x 18' / 5.5 m x 5.5 m	1' 3" / 0.4 m

A new teeter totter accessible to the impaired mobility clientele

## The Silla-2 rocker

#### A teeter totter with lots of character!

The pleasant yet secure rocking motion of the Silla-2 equipment feels fun with just the right amount of excitement. The cradle seats designed to support the body make this teeter totter safe for users with impaired mobility.

Two coil springs developed specifically for Jambette by a major Canadian manufacturer provide the rocking motion of the Silla-2 rocker. They are pinch-free for hands and feet. The central axle and springs ensure stable movement, so there is no need for ground shock absorbers.



#### The Silla-2 rocker 🔏


MODEL	AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
L-21078	18 months to 12 years old	2 children	21' x 15' / 6.4 m x 4.6 m	1' 6" / 0.5 m




Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



This logo identifies products that are wheelchair accessible in accordance with Appendix H of the CAN/CSA-Z614 standard and the **Americans with Disabilities Act Accessibility Guidelines (ADAAG)**.















## The twist climber

#### Legs, hips and arms are going to be a twistin' at the playground this summer!

The brand-new multifunctional twist climber is the ideal equipment for developing coordination and physical strength. It can be set up on its own or combined with a play module.

MODEL	TYPE	AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
G-22007	Independant	18 months to 12 years old	7 children	24' x 24' / 7.3 m x 7.3 m	3' 0" / 0.9 m
G-22008	Independent	18 months to 12 years old	7 children	24' x 24' / 7.3 m x 7.3 m	3' 6" / 1.1 m
G-22009	Independent	18 months to 12 years old	10 children	25' x 25' / 7.6 m x 7.6 m	4' 6" / 1.4 m
G-22010	Independent	18 months to 12 years old	10 children	26' x 26' / 7.9 m x 7.9 m	5' 6" / 1.7 m
G-22011	Independent	18 months to 12 years old	8 children	26' x 25' / 7.9 m x 7.6 m	4' 6" / 1.4 m
G-22012	Independent	18 months to 12 years old	9 children	26' x 26' / 7.9 m x 7.9 m	5' 6" / 1.7 m



## J3 Play Structures 5 to 12 years old



#### J3-22255-HB play structure

AGE GROUP	C/
5 to 12 years old	17

**CAPACITY** 179 children **SURFACE AREA REQUIRED** 68' x 32' / 20.7 m x 9.8 m **CSA FALL HEIGHT** 11' 2" / 3.4 m **ASTM FALL HEIGHT** 10' 4" / 3.1 m

!







#### CX-20010-5HB play structure

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
5 to 12 years old	90 children	54' x 45' / 16.4 m x 13.7 m	12' / 3.7 m	12' / 3.7 m





#### CX-22003-5HB play structure

WITHOUT TRANSFER STATION: CX-22001-5B

AGE GROUP
5 to 12 years old

70 children

**SURFACE AREA REQUIRED** 54' x 40' / 16.4 m x 12.2 m **CSA FALL HEIGHT** 12' / 3.7 m ASTM FALL HEIGHT





#### J3-22152-5HB play structure

AGE GROUP CAPACITY 5 to 12 years old

99 children


SURFACE AREA REQUIRED 48' x 45' / 14.6 m x 13.7 m

CSA FALL HEIGHT 11' 2" / 3.4 m

ASTM FALL HEIGHT 10' 8" / 3.3 m









#### M-22007-5HAB play structure

WITHOUT TRANSFER STATION: M-22008-5AB

AGE GROUP
5 to 12 years old

CAPACITY 101 children **SURFACE AREA REQUIRED** 57' x 44' / 17.4 m x 13.4 m **CSA FALL HEIGHT** 10' 2" / 3.1 m **ASTM FALL HEIGHT** 8' 8" / 2.6 m





#### CX-22002-5HB play structure

WITHOUT TRANSFER STATION: CX-22007-5B

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED
5 to 12 years old	41 children	44' x 34' / 13.4 m x 10.4 m

CSA FALL HEIGHT 12' / 3.7 m

ASTM FALL HEIGHT 12' / 3.7 m





#### M-22012-HB play structure

#### WITHOUT TRANSFER STATION: M-22013-B

AGE GROUP
5 to 12 years old

.

66 children

**SURFACE AREA REQUIRED** 49' x 41' / 14.9 m x 12.5 m **CSA FALL HEIGHT** 10' 4" / 3.1 m **ASTM FALL HEIGHT** 10' 4" / 3.1 m



#### J3-22256-HB play structure

#### WITHOUT TRANSFER STATION: J3-22011-B

AGE GROUP CAPACITY SURFACE AREA REQUIRED CSA FALL HEIGHT 11' 2" / 3.4 m 67 children 61' x 38' / 18.6 m x 11.6 m 5 to 12 years old

ASTM FALL HEIGHT 10' 8" / 3.3 m







#### J3-22259-5HB play structure

.

WITHOUT TRANSFER STATION: J3-22016-5B

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
5 to 12 years old	69 children	50' x 48' / 15.2 m x 14.6 m	11' 2" / 3.4 m	8' / 2.4 m





#### J3-22260-HA play structure

WITHOUT TRANSFER STATION: J3-22017-A

AGE GROUP 5 to 12 years old CAPACITY 57 children SURFACE AREA REQUIRED 47' x 33' / 14.3 m x 10.1 m

CSA FALL HEIGHT 11' 2" / 3.4 m

ASTM FALL HEIGHT 10' 3" / 3.1 m







#### M-22079-HB play structure

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
5 to 12 years old	58 children	53' x 39' / 16.2 m x 11.9 m	9'2" / 2.8 m	7' 9" / 2.4 m



#### M-22080-HA5B play structure

WITHOUT TRANSFER STATION: M-22009-A5B

AGE GROUP 5 to 12 years old CAPACITY 80 children SURFACE AREA REQUIRED 52' x 47' / 15.8 m x 14.3 m

CSA FALL HEIGHT 11' 2" / 3.4 m

ASTM FALL HEIGHT 8' / 2.4 m







# J3-22026-HA play structure

#### WITHOUT TRANSFER STATION: J3-22027-A

AGE GROUP	CAPACITY	SURFACE AREA RE
5 to 12 years old	53 children	47' x 34' / 14.3 m x

EQUIRED 10.4 m

CSA FALL HEIGHT 9'2" / 2.8 m

ASTM FALL HEIGHT 6' / 1.8 m





# M-22081-HA5B play structure

WITHOUT TRANSFER STATION: M-22010-A5B

AGE GROUP 5 to 12 years old CAPACITY 64 children SURFACE AREA REQUIRED 43' x 32' / 13.1 m x 9.8 m

CSA FALL HEIGHT 12' 6" / 3.8 m

ASTM FALL HEIGHT 12' 6" / 3.8 m







# J3-22031-5HA play structure

.

WITHOUT TRANSFER STATION: J3-22038-5A

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
5 to 12 years old	54 children	39' x 32' / 11.9 m x 9.8 m	10' 2" / 3.1 m	7' / 2.1 m





### J3-22261-HA play structure

WITHOUT TRANSFER STATION: J3-22091-A

AGE GROUP 5 to 12 years old CAPACITY 46 children

33' x 30' / 10.1 m x 9.1 m

SURFACE AREA REQUIRED

CSA FALL HEIGHT 10' 3" / 3.1 m

ASTM FALL HEIGHT 10' 3" / 3.1 m







### J3-22262-HA play structure

WITHOUT TRANSFER STATION: J3-22093-A

AGE GROUP	CAPACITY
5 to 12 years old	42 children

SURFACE AREA REQUIRED 37' x 35' / 11.3 m x 10.7 m

CSA FALL HEIGHT 10' 8" / 3.3 m

ASTM FALL HEIGHT 10' 8" / 3.3 m





# J3-22263-HA play structure

WITHOUT TRANSFER STATION: J3-22097-A

AGE GROUP 5 to 12 years old CAPACITY 31 children SURFACE AREA REQUIRED 39' x 35' / 11.9 m x 10.7 m

CSA FALL HEIGHT 9'9"/3m

ASTM FALL HEIGHT 9'9"/3m







# J3-22264-HA play structure

WITHOUT TRANSFER STATION: J3-22100-A

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
5 to 12 years old	46 children	41' x 33' / 12.5 m x 10.1 m	9' 2" / 2.8 m	7' 9" / 2.4 m





# J3-22265-HA play structure

WITHOUT TRANSFER STATION: J3-22101-A

AGE GROUP 5 to 12 years old 27 children

**SURFACE AREA REQUIRED** 35' x 32' / 10.7 m x 9.8 m **CSA FALL HEIGHT** 11' 2" / 3.4 m ASTM FALL HEIGHT 8' / 2.4 m







# J3-22266-HA play structure

#### WITHOUT TRANSFER STATION: J3-22146-A

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
5 to 12 years old	28 children	34' x 26' / 10.4 m x 7.9 m	9' 2" / 2.8 m	6' 10" / 2.1 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.

Details on page 159



# J3-22149-HB play structure

WITHOUT TRANSFER STATION: J3-22148-B

AGE GROUP 5 to 12 years old **CAPACITY** 22 children **SURFACE AREA REQUIRED** 38' x 31' / 11.6 m x 9.4 m **CSA FALL HEIGHT** 9' 2" / 2.8 m ASTM FALL HEIGHT









### J3-22314-HB play structure

WITHOUT TRANSFER STATION: J3-22316-B

AGE GROUP	
5 to 12 years old	c

CAPACITY 66 children SURFACE AREA REQUIRED 50' x 47' / 15.2 m x 14.3 m

CSA FALL HEIGHT 11' 2" / 3.4 m

ASTM FALL HEIGHT 8' / 2.4 m





### J3-22341-HA play structure

#### WITHOUT TRANSFER STATION: J3-22342-A

AGE GROUP 5 to 12 years old CAPACITY 44 children SURFACE AREA REQUIRED 43' x 31' / 13.1 m x 9.5 m

CSA FALL HEIGHT 11' 2" / 3.4 m

ASTM FALL HEIGHT 8' / 2.4 m







# J3-22336-HA play structure

WITHOUT TRANSFER STATION: J3-22340-A

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
5 to 12 years old	70 children	51' x 37' / 15.5 m x 11.3 m	11' 2" / 3.4 m	10' 3" / 3.1 m



# Play Structures 18 months to 12 years old







# CX-22011-5HB play structure

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 12 years old	74 children	54' x 36' / 16.5 m x 11 m	12' / 3.7 m	12' / 3.7 m



Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



Upper platform heights Lower platform heights



# M-22091-HB play structure

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 12 years old	79 children	51' x 41' / 15.5 m x 12.5 m	9' 2" / 2.8 m	5' 9" / 1.8 m







### CX-22009-5HB play structure

.

WITHOUT TRANSFER STATION: CX-22008-5B

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 12 years old	80 children	46' x 36' / 14 m x 11 m	12' / 3.7 m	12' / 3.7 m





# J3-22253-HB play structure

AGE GROUP

**CAPACITY** 98 children **SURFACE AREA REQUIRED** 50' x 47' / 15.2 m x 14.3 m **CSA FALL HEIGHT** 11' 2" / 3.4 m ASTM FALL HEIGHT 8' / 2.4 m





# J3-22289-HA play structure

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 12 years old	79 children	52' x 49' / 15.8 m x 14.9 m	10' 2" / 3.1 m	7' / 2.1 m





# J3-22291-5HB play structure

WITHOUT TRANSFER STATION: J3-22292-5B

AGE GROUP

CAPACITY 105 children **SURFACE AREA REQUIRED** 52' x 50' / 15.8 m x 15.2 m **CSA FALL HEIGHT** 11' 2" / 3.4 m **ASTM FALL HEIGHT** 9'7" / 2.9 m





# J3-22294-HB play structure

WITHOUT TRANSFER STATION: J3-22295-B

AGE GROUP CAPACITY SURFACE AREA REQUIRED CSA FALL HEIGHT 18 months to 12 years old 93 children 52' X 48' / 15.8 m x 14.6 m 11' 2" / 3.4 m

ASTM FALL HEIGHT 10' 3" / 3.1 m







### J3-22296-HA play structure

#### WITHOUT TRANSFER STATION: J3-22297-A

AGE GROUPCAPACITYSURFACE AREA REQUIRED18 months to 12 years old75 children48' x 31' / 14.6 m x 9.4 m

 RED
 CSA FALL HEIGHT

 n
 9' 2" / 2.8 m

ASTM FALL HEIGHT 6' / 1.8 m







### J3-22298-5HB play structure

WITHOUT TRANSFER STATION: J3-22299-5B

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 12 years old	74 children	46' x 31' / 14 m x 9.4 m	11' 2" / 3.4 m	8' / 2.4 m







# J3-22302-HB play structure

#### WITHOUT TRANSFER STATION: J3-22303-B

AGE GROUP 18 months to 12 years old CAPACITY 57 children SURFACE AREA REQUIRED 46' x 34' / 14 m x 10.4 m

CSA FALL HEIGHT 10' 2" / 3.1 m

ASTM FALL HEIGHT 7' / 2.1 m









# M-22085-5HAB play structure

WITHOUT TRANSFER STATION: M-22086-5AB

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 12 years old	70 children	47' x 37' / 14.3 m x 11.3 m	12' 6" / 3.8 m	12' 6" / 3.8 m









### J3-22306-HA play structure

#### WITHOUT TRANSFER STATION: J3-22311-A

AGE GROUP 18 months to 12 years old CAPACITY 56 children SURFACE AREA REQUIRED 50' x 31' / 15.2 m x 9.4 m

CSA FALL HEIGHT 9'2" / 2.8 m

ASTM FALL HEIGHT 6' / 1.8 m










# J3-22312-HA play structure

#### WITHOUT TRANSFER STATION: J3-22313-A

AGE GROUP 18 months to 12 years old **CAPACITY** 54 children **SURFACE AREA REQUIRED** 46' x 33' / 14 m x 10.1 m **CSA FALL HEIGHT** 9' 2" / 2.8 m **ASTM FALL HEIGHT** 7' 7" / 2.3 m

!

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



Platform heights



# J3-22317-HB play structure

#### WITHOUT TRANSFER STATION: J3-22318-B

AGE GROUP 18 months to 12 years old CAPACITY 49 children SURFACE AREA REQUIRED 42' x 34' / 12.8 m x 10.4 m

CSA FALL HEIGHT 11' 2" / 3.4 m

ASTM FALL HEIGHT 8' / 2.4 m







# J3-22319-HB play structure

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 12 years old	47 children	41' X 40' / 12.5 m x 12.2 m	8'2" / 2.5 m	5' / 1.5 m





# J3-22320-5HA play structure

WITHOUT TRANSFER STATION: J3-22321-5A

AGE GROUP 18 months to 12 years old CAPACITY 45 children SURFACE AREA REQUIRED 44' x 35' / 13.4 m x 10.7 m

CSA FALL HEIGHT 9'2" / 2.8 m

ASTM FALL HEIGHT 7' 8" / 2.3 m











### J3-22322-5HA play structure

WITHOUT TRANSFER STATION: J3-22323-5A

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 12 years old	44 children	46' x 30' / 14 m x 9.1 m	9' 2" / 2.8 m	6' / 1.8 m

.





### M-22087-HA5B play structure

#### WITHOUT TRANSFER STATION: M-22088-A5B

AGE GROUP 18 months to 12 years old CAPACITY 63 children SURFACE AREA REQUIRED 50' x 38' / 15.2 m x 11.6 m

CSA FALL HEIGHT 9'2" / 2.8 m

ASTM FALL HEIGHT 8' 4" / 2.5 m







# M-22089-HB play structure

#### WITHOUT TRANSFER STATION: M-22090-B

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 12 years old	53 children	43' x 37' / 13.1 m x 11.3 m	9' 2" / 2.8 m	8' 4" / 2.5 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.

!

Details on page 159



### J3-22324-5HA play structure

#### WITHOUT TRANSFER STATION: J3-22325-5A

AGE GROUP

CAPACITY 43 children **SURFACE AREA REQUIRED** 35' x 34' / 10.7 m x 10.4 m

**CSA FALL HEIGHT** 9' 2" / 2.8 m **ASTM FALL HEIGHT** 7' 7" / 2.3 m





# J3-22326-HA play structure

WITHOUT TRANSFER STATION: J3-22327-A

AGE GROUP				
18 months to 12 years old				

CAPACITY 37 children **SURFACE AREA REQUIRED** 42' x 31' / 12.8 m x 9.4 m

ED CSA FALL HEIGHT 9' 2" / 2.8 m ASTM FALL HEIGHT 9' / 2.7 m





### J3-22328-5HA play structure


WITHOUT TRANSFER STATION: J3-22330-5A

AGE GROUP

CAPACITY 30 children **SURFACE AREA REQUIRED** 41' x 28' / 12.5 m x 8.5 m **CSA FALL HEIGHT** 9' 2" / 2.8 m ASTM FALL HEIGHT 6' / 1.8 m

Platform heights -







## J3-22332-HA play structure

#### WITHOUT TRANSFER STATION: J3-22333-A

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 12 years old	34 children	33' x 28' / 10.1 m x 8.5 m	8'2" / 2.5 m	5' / 1.5 m







## J3-22339-HB play structure

#### WITHOUT TRANSFER STATION: J3-22335-B

AGE GROUP 18 months to 12 years old CAPACITY 44 children SURFACE AREA REQUIRED 47' x 26' / 14.3 m x 7.9 m

CSA FALL HEIGHT 10' 3" / 3.1 m

ASTM FALL HEIGHT 10' 3" / 3.1 m



Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



Details on page 159



# J3-22337-5HA play structure

#### WITHOUT TRANSFER STATION: J3-22338-5A

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 12 years old	25 children	33' x 24' / 10.1 m x 7.3 m	9' 2" / 2.8 m	6' / 1.8 m



# Play Structures 18 months to 5 years old





## M-22082-HB play structure

#### WITHOUT TRANSFER STATION: M-22072-B

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 5 years old	55 children	54' x 48' / 16.5 m x 14.6 m	8' 2" / 2.5 m	5' 11" / 1.8 m

Details on page 159





# M-22083-HB play structure

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 5 years old	62 children	48' x 35' / 14.6 m x 10.7 m	7' 2" / 2.2 m	5' 11" / 1.8 m





# J3-22193-HA play structure

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 5 years old	51 children	38' x 35' / 11.6 m x 10.7 m	8'2" / 2.5 m	5' / 1.5 m





## J3-22192-5HB play structure

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 5 years old	49 children	37' x 36' / 11.3 m x 11 m	8' 2" / 2.5 m	6' 6" / 2 m





## J3-22269-HA play structure

.

#### WITHOUT TRANSFER STATION: J3-22191-A

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 5 years old	51 children	30' x 28' / 9.1 m x 8.5 m	8' 2" / 2.5 m	5' / 1.5 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.

Details on page 159



# J3-22270-HA play structure

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 5 years old	44 children	38' x 35' / 11.6 m x 10.7 m	7' 2" / 2.2 m	5' 11" / 1.8 m





## J3-22271-HA play structure

#### WITHOUT TRANSFER STATION: J3-22197-A

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 5 years old	42 children	36' x 28' / 11 m x 8.5 m	7' 2" / 2.2 m	5' 6" / 1.7 m







# M-22084-HA5B play structure

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 5 years old	51 children	43' x 36' / 13.1 x 11 m	8' 4" / 2.5 m	8' 4" / 2.5 m







## J3-22272-5HA play structure

#### WITHOUT TRANSFER STATION: J3-22199-5A

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED
18 months to 5 years old	32 children	34' x 30' / 10.4 m x 9.1 m

**CSA FALL HEIGHT** 8' 4" / 2.5 m

Details on page 159

**ASTM FALL HEIGHT** 8' 4" / 2.5 m





# J3-22273-HA play structure

#### WITHOUT TRANSFER STATION: J3-22201-A


AGE GROUP 18 months to 5 years old CAPACITY 37 children SURFACE AREA REQUIRED 37' x 27' / 11.3 m x 8.2 m

CSA FALL HEIGHT 8'2" / 2.5 m

ASTM FALL HEIGHT 5' / 1.5 m









## J3-22274-HA play structure

#### WITHOUT TRANSFER STATION: J3-22203-A

AGE GROUP 18 months to 5 years old CAPACITY 34 children **SURFACE AREA REQUIRED** 34' x 29' / 10.4 m x 8.8 m **CSA FALL HEIGHT** 7' 2" / 2.2 m ASTM FALL HEIGHT 4' / 1.2 m



Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



- Platform heights -



## J3-22275-HB play structure

#### WITHOUT TRANSFER STATION: J3-22214-B

AGE GROUP 18 months to 5 years old CAPACITY 39 children SURFACE AREA REQUIRED 39' x 32' / 11.9 m x 9.8 m

CSA FALL HEIGHT 7' 2" / 2.2 m

ASTM FALL HEIGHT 4' / 1.2 m







## J3-22276-HA play structure

#### WITHOUT TRANSFER STATION: J3-22215-A

AGE GROUP 18 months to 5 years old **CAPACITY** 45 children **SURFACE AREA REQUIRED** 38' x 31' / 11.6 m x 9.4 m **CSA FALL HEIGHT** 8' 2" / 2.5 m ASTM FALL HEIGHT 5' / 1.5 m



Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.

Details on page 159



### J3-22277-HB play structure

#### WITHOUT TRANSFER STATION: J3-22216-B


AGE GROUP
18 months to 12 years old

CAPACITY 40 children SURFACE AREA REQUIRED 41' x 31' / 12.5 m x 9.4 m

CSA FALL HEIGHT 8'2" / 2.5 m

ASTM FALL HEIGHT 6' 11" / 2.5 m







## J3-22219-HA play structure

#### WITHOUT TRANSFER STATION: J3-22220-A

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 5 years old	38 children	36' x 34' / 11 m x 10.4 m	8'2" / 2.5 m	5' / 1.5 m







## J3-22278-HA play structure

#### WITHOUT TRANSFER STATION: J3-22221-A

AGE GROUP

40 children

**SURFACE AREA REQUIRED** 35' x 27' / 10.4 m x 8.2 m

m 6'8" / 2 m

**ASTM FALL HEIGHT** 3' 6" / 0.9 m



Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.

Details on page 159



## J3-22280-HA play structure

.

#### WITHOUT TRANSFER STATION: J3-22222-A

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 5 years old	28 children	32' x 25' / 9.8 m x 7.6 m	8' 2" / 2.5 m	5' / 1.5 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required. Details on page 159



## J3-22224-5HA play structure

WITHOUT TRANSFER STATION: J3-22228-5A

AGE GROUP 18 months to 5 years old CAPACITY 26 children SURFACE AREA REQUIRED 34' x 26' / 10.4 m x 7.9 m

CSA FALL HEIGHT 7' 2" / 2.2 m

ASTM FALL HEIGHT 4' / 1.2 m







## J3-22281-HA play structure

#### WITHOUT TRANSFER STATION: J3-22229-A

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 5 years old	30 children	31' x 24' / 9.4 m x 7.3 m	7' 2" / 2.2 m	6'11" / 2.5 m

Details on page 159

.



## J3-22282-HA play structure

#### WITHOUT TRANSFER STATION: J3-22232-A

AGE GROUP

CAPACITY 22 children **SURFACE AREA REQUIRED** 31' x 25' / 9.4 m x 7.6 m

D CSA FALL HEIGHT 7' 2" / 2.2 m ASTM FALL HEIGHT 4' / 1.2 m





## J3-22283-HA play structure

.

#### WITHOUT TRANSFER STATION: J3-22233-A

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 5 years old	28 children	29' x 28' / 8.8 m x 8.5 m	7' 2" / 2.2 m	4' 4" / 1.3 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.

Details on page 159



## J3-22284-HA play structure

#### WITHOUT TRANSFER STATION: J3-22235-A

AGE GROUP

CAPACITY 19 children **SURFACE AREA REQUIRED** 29' x 25' / 8.8 m x 7.6 m

**CSA FALL HEIGHT** 7' 2" / 2.2 m ASTM FALL HEIGHT 4' / 1.2 m







## J3-22285-HA play structure

.

#### WITHOUT TRANSFER STATION: J3-22236-A

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 5 years old	16 children	25' x 20' / 7.6 m x 6.1 m	6' 2" / 1.9 m	3' 6" / 0.9 m






# J3-22286-HA play structure

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 5 years old	20 children	27' x 27' / 8.2 m x 8.2 m	5' 2" / 1.6 m	2' / 0.6 m







# J3-22287-HA play structure

CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
21 children	30' X 23' / 9.1 m x 7 m	5' 2" / 1.6 m	2' / 0.6 m







D.


and and



## VT-21002-5B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	61 children	41' x 34' / 12.4 m x 10.3 m	12' 6" / 3.8 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.




## VT-21001-5B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED
5 to 12 years old	46 children	36' x 29' / 10.9 m x 8.8 m

CSA AND ASTM FALL HEIGHT

12' 6" / 3.8 m



## J2-20069-5B psychomotor course

Plan view


AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	76 children	42' x 39' / 12.8 m x 11.8 m	12' 6" / 3.8 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.

# J2-22028-5B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT		
5 to 12 years old	43 children	60' x 38' / 18.3 m x 11.6 m	10' 4" / 3.1 m		

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



# J2-22000-5B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	62 children	72' x 32' / 21.9 m x 9.8 m	9' 6" / 2.8 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



# J2-17011-5B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	57 children	44' x 40' / 13.4 m x 12.1 m	9' 6" / 2.8 m

.



## VT-21000-5B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	40 children	25' x 24' / 7.6 m x 7.3 m	12' 6" / 3.8 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



# J2-20022-5B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	50 children	42' x 30' / 12.8 m x 9.1 m	9' 6" / 2.8 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



## J2-22029-5B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	60 children	45' x 37' / 13.7 m x 11.3 m	9' 4" / 2.8 m


Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



## J2-19093-5B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	87 children	45' x 40' / 13.7 m x 12.1 m	7'10" / 2.4 m

Ba



Plan view

## J2-17099-5B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	62 children	54' x 36' / 16.4 m x 10.9 m	9' 7" / 2.9 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



# J2-20087-5B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	41 children	38' x 27' / 11.5 m x 8.2 m	8' 4" / 2.5 m


Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



# J2-21042-B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
18 months to 5 years old	40 children	39' x 36' / 11.8 m x 10.9 m	6' 4" / 1.9 m
		,	

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.




# J2-20010-5B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED
18 months to 12 years old	36 children	47' x 24' / 14.3 m x 7.3 m

CSA AND ASTM FALL HEIGHT

5' 5" / 1.6 m



# J2-20067-5B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
18 months to 5 years old	37 children	36' x 28' / 10.9 m x 8.5 m	8' 4" / 2.5 m


Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



# J2-21023-5B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	26 children	36' x 21' / 10.9 m x 6.4 m	9'7" / 2.9 m


Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



# J2-22001-5B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	30 children	37' x 29' / 11.3 m x 8.8 m	8' 5" / 2.6 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



# J2-21044-5B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED
18 months to 5 years old	27 children	33' x 30' / 10 m x 9.1 m

CSA AND ASTM FALL HEIGHT


8' 4" / 2.5 m



# J2-19082-5B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	32 children	39' x 39' / 11.8 m x 11.8 m	8' 4" / 2.5 m


Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



# J2-19087-5B psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
18 months to 12 years old	17 children	33' x 18' / 10 m x 5.4 m	8' 4" / 2.5 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



# J2-21001-5B psychomotor course

.


AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	36 children	35' x 16' / 10.6 m x 4.8 m	9'1" / 2.7 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



# J2-20037-5B psychomotor course


AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	19 children	33' x 29' / 10 m x 8.8 m	8' 4" / 2.5 m



# J2-17111-5HB psychomotor course

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
18 months to 12 years old	11 children	35' x 23' / 10.6 m x 7 m	5' 9" / 1.7 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



# J2-20078-5B

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
18 months to 12 years old	15 children	21' x 17' / 6.4 m x 5.1 m	3' 6" / 1 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.

# J2 Individual Components

1

J

J2-17103-5HB

V/V7









J2-21051-5B

J2-21052-5B

J2-21053-5B

J2-21069-5B





J2-16041-5B



J2-15021-5B





J2-15020-5B







J2-15015-5B



J2-15013-5B

MODEL	NAME	AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	FALL HEIGHT
J2-21051-5B	The rope bridge	18 months to 12 years old	3	22' x 15' / 6.7 m x 4.6 m	7'7" / 2.3 m
J2-21052-5B	The balance bridge	18 months to 12 years old	3	22' x 14' / 6.7 m x 4.3 m	8' / 2.4 m
J2-21053-5B	The balance bridge (1' difference)	18 months to 12 years old	3	22' x 14' / 6.7 m x 4.3 m	9' / 2.7 m
J2-21069-5B	The curved overhead handle bridge	5 to 12 years old	3	20' x 18' / 6.1 m x 5.5 m	7' 3" / 2.2 m
J2-16015-5B	The cable bridge	18 months to 12 years old	4	23' x 17' / 7 m x 5.2 m	4'3" / 1.3 m
J2-16041-5B	The fin bridge	5 to 12 years old	8	22' x 16' / 6.7 m x 4.9 m	2' 8" / 0.8 m
J2-15021-5B	The crab climber	5 to 12 years old	10	24' x 15' / 7.3 m x 4.6 m	7' 5" / 2.3 m
J2-15020-5B	The rock wall	5 to 12 years old	4	17' x 14' / 5.2 m x 4.3 m	8' / 2.4 m
J2-15024-5B	The art deco bridge	5 to 12 years old	5	24' x 16' / 7.3 m x 4.9 m	7' 5" / 2.3 m
J2-15015-5B	The asymmetrical overhead ladder	5 to 12 years old	5	24' x 16' / 7.3 m x 4.9 m	6' 10" / 2.1 m
J2-15013-5B	The curved overhead ring ladder	5 to 12 years old	5	24' x 16' / 7.3 m x 4.9 m	7' 5" / 2.3 m



J2-15012-5B



J2-19045-5B



J2-18015-5B

J2-19014-5B



J2-15023-5B



J2-15022-5B









J2-15016-5B

J2-15019-5B

MODEL	NAME	AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	FALL HEIGHT
J2-15012-5B	The twirling bridge	5 to 12 years old	5	24' x 17' / 7.3 m x 5.2 m	6' 3" / 1.9 m
J2-18015-5B	The monkey crossing	5 to 12 years old	5	24' x 16' / 7.3 m x 4.9 m	5'9" / 1.8 m
J2-15023-5B	The stone crossing	5 to 12 years old	5	24' x 18' / 7.3 m x 5.5 m	2'8" / 0.8 m
J2-19045-5B	The arch	5 to 12 years old	6	22' x 22' / 6.7 m x 6.7 m	8' 2" / 2.5 m
J2-19014-5B	The vertical net bridge	18 months to 12 years old	5	24' x 16' / 7.3 m x 4.9 m	7'10" / 2.4 m
J2-15022-5B	The vertical net	5 to 12 years old	5	24' x 16' / 7.3 m x 4.9 m	7'10" / 2.4 m
J2-15017-5B	The spider web	18 months to 12 years old	5	24' x 17' / 7.3 m x 5.2 m	8' 4" / 2.5 m
J2-15016-5B	The balance beam	18 months to 12 years old	3	20' x 15' / 6.1 m x 4.6 m	10" / 0.3 m
J2-15019-5B	The oscillating balance beam	18 months to 12 years old	3	22' x 17' / 6.7 m x 5.2 m	11" / 0.3 m







J2-16018-5B

J2-16038-5B

J2-16039-5B








J2-15009-5B



J2-16011-5B



J2-18034-5B



J2-18062-5B

2200000

J2-15014-5B

MODEL	NAME	AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	FALL HEIGHT
J2-16018-5B	The volcanic stone crossing	5 to 12 years old	5	24' x 18' / 7.3 m x 5.5 m	2'8" / 0.8 m
J2-16038-5B	The Alga climber	5 to 12 years old	8	25' x 19' / 7.6 m x 5.8 m	4'10" / 1.5 m
J2-16039-5B	The Alga-steel climber	5 to 12 years old	8	25' x 19' / 7.6 m x 5.8 m	4'10" / 1.5 m
J2-15009-5B	The monkey bar	5 to 12 years old	1	18' x 15' / 5.5 m x 4.6 m	4' 11" / 1.5 m
J2-16008-5B	The double monkey bars (60-51)	5 to 12 years old	2	22' x 15' / 6.7 m x 4.6 m	4' 9" / 1.4 m
J2-16011-5B	The triple monkey bars (40-57-49)	18 months to 12 years old	3	26' x 15' / 7.9 m x 4.6 m	4' 1" / 1.2 m
J2-18034-5B	The triple monkey bars (61-65-55)	5 to 12 years old	3	26' x 15' / 7.9 m x 4.6 m	5' 5" / 1.7 m
J2-18062-5B	The straight overhead loop ladder	5 to 12 years old	5	24' x 16' / 7.3 m x 4.9 m	7' 10" / 2.4 m
J2-15014-5B	The curved overhead loop ladder	5 to 12 years old	5	24' x 17' / 7.3 m x 5.2 m	7' 10" / 2.4 m







J2-15031-5B 👫



J2-15026-5B



J2-17104-5HB 👫



J2-15008-5B 🚮



Ј2-17101-5НВ 👫

000

Ј2-17102-5НВ 👫

۵



Ј2-17105-5НВ 👫



J2-17106-5HB 👫












# J6-21004-5B Manta circuit

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	82 children	38' x 31' / 11.5 m x 9.4 m	13' / 3.9 m


Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



# J6-21001-5B Manta circuit

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	71 children	30' x 24' / 9.1 m x 7.3 m	13' / 3.9 m


Bas



# J6-20006-5B Manta circuit

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
18 months to 12 years old	40 children	34' x 21' / 10.3 m x 6.4 m	7' 8" / 2.3 m


Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



# J6-17000-5B Manta circuit

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
18 months to 12 years old	39 children	29' x 27' / 8.8 m x 8.2 m	7' / 2.1 m


Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.





AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
18 months to 12 years old	39 children	23' x 21' / 7 m x 6.4 m	9' / 2.7 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



# J6-18004-5B Manta circuit

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
18 months to 12 years old	35 children	34' x 22' / 10.3 m x 6.7 m	6'2" / 1.8 m

! E



# J6-20003-5B Manta circuit

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	38 children	26' x 22' / 7.9 m x 6.7 m	9'7" / 2.9 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



Plan view

# Le circuit Manta J6-16004-5B

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
18 months to 12 years old	20 children	21' x 17' / 6.4 m x 5.1 m	12' 6" / 3.8 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



K-22006

a series series and

K-22012

K-22001

and a start

K-22000



#### **AGILITY, SPEED AND FUN!**

Put kids' skills to the test with our brand-new Parkours products for children aged 5 to 12.

#### These products are great for them to run, jump and crawl!

They will have fun grabbing onto the modules using the rings, the handles and the other course components.


The Nin-Ka line of products offers a range of obstacles for maximum fun!

- A series of 18 equipment
- Canadian aluminum, heavy duty steel
   and stainless steel hardware equipment
- Wide range of colours
- Customize your own playground circuit



#### The Nin-ka steps


Model	Age group	Capacity	Surface area required	CSA and ASTM fall height
K-22000	5 to 12 years old	3	20' x 17' / 6.1 m x 5.2 m	2'3" / 0.7 m




#### The horizontal overhead handle ladder

Model	Age group	Capacity	Surface area required	CSA and ASTM fall height
K-22002	5 to 12 years old	5	23' x 14' / 7 m x 4.3 m	7'9" / 2.4 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.





#### The horizontal ground cable net

Model	Age group	Capacity	Surface area required	CSA and ASTM fall height
K-22001	5 to 12 years old	3	21' x 16' / 6.4 m x 4.9 m	1'3" / 0.4 m



#### The angled overhead cable net


Model	Age group	Capacity	Surface area required	CSA and ASTM fall height
K-22003	5 to 12 years old	5	23' x 18' / 5.5 m x 7 m	9'3" / 2.8 m





#### The climbing wall with cable

Model	Age group	Capacity	Surface area required	CSA and ASTM fall height
K-22004	5 to 12 years old	3	15' x 13' / 4.6 m x 4 m	9'1" / 2.8 m



### The vertical net

.

Model	Age group	Capacity	Surface area required	CSA and ASTM fall height
K-22006	5 to 12 years old	5	23' x 13' / 7 m x 4 m	9'3" / 2.8 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



The arch

Model	Age group	Capacity	Surface area required	CSA and ASTM fall height
K-22005	5 to 12 years old	8	24' x 23' / 7.3 m x 7 m	8'9" / 2.7 m



#### The horizontal overhead wave ladder (double)

Model	Age group	Capacity	Surface area required	CSA and ASTM fall height
K-22007	5 to 12 years old	10	30' x 17' / 9.1 m x 5.2 m	7'1" / 2.2 m



#### The horizontal overhead wave ladder (up)

Model	Age group	Capacity	Surface area required	CSA and ASTM fall height
K-22008	5 to 12 years old	5	21' x 17' / 6.4 m x 5.2 m	6'6"/2m



### The horizontal overhead wave ladder (down)

Model	Age group	Capacity	Surface area required	CSA and ASTM fall height
K-22009	5 to 12 years old	5	21' x 17' / 6.4 m x 5.2 m	7'1" / 2.2 m





### The hurdles

Model	Age group	Capacity	Surface area required	CSA and ASTM fall height
K-22010	5 to 12 years old	1	17' x 16' / 5.2 m x 4.9 m	1'1" / 0.3 m



# The climbing walls tower

Model	Age group	Capacity	Surface area required	CSA and ASTM fall height
K-22012	5 to 12 years old	3	22' x 21' / 6.7 m x 6.4 m	9'3" / 2.8 m

The jump bar

Model	Age group	Capacity	Surface area required	CSA and ASTM fall height
K-22011	5 to 12 years old	1	18' x 13' / 5.5 m x 4 m	3'0" / 0.9 m



#### The Nin-ka walls

Model	Age group	Capacity	Surface area required	CSA and ASTM fall height
K-22013	5 to 12 years old	2	21' x 19' / 6.4 m x 5.8 m	7'7" / 2.3 m





#### The balance crossing

Model	Age group	Capacity	Surface area required	CSA and ASTM fall height
K-22014	5 to 12 years old	2	22' x 17' / 6.7 m x 5.2 m	7'7" / 2.3 m



#### The monkey bars

.

Model	Age group	Capacity	Surface area required	CSA and ASTM fall height
K-22017	5 to 12 years old	3	25' x 13' / 7.6 m x 4 m	5'6" / 1.7 m

Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



#### The inclined balance beam

Model	Age group	Capacity	Surface area required	CSA and ASTM fall height
K-22016	5 to 12 years old	2	18' x 13' / 5.5 m x 4 m	1'3" / 0.4 m



#### The parallel bars

Model	Age group	Capacity	Surface area required	CSA and ASTM fall height
K-22018	5 to 12 years old	2	21' x 16' / 6.4 m x 4.9 m	2'6" / 0.8 m



# Super Climbers



Volte VT-21000-5B Featuring a unique design, the module can be installed on its own on a playground, combined or completed with additional components for extra challenges, or even integrated into a psychomotor module for added exclusive climbing features.

AGE GROUP 5 to 12 years old 40 children

**SURFACE AREA REQUIRED** 25' x 24' / 7.6 m x 7.3 m **CSA AND ASTM FALL HEIGHT** 13' 4" / 4.1 m





The tree G-18014 Fun and adventure await when exploring Jambette's majestic tree trunk with one end lying on the ground. Its weathered form suggests that time and nature have done their work to offer children the most original of climbers.

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
18 months to 12 years old	8 children	23' x 16' / 7 m x 4.9 m	5' 3" / 1.7 m





# The beastie G-21003

Our versatile climber! Reduced in size and designed for a younger age group, this new climber can address a number of playground planning challenges.

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
18 months to 5 years old	8 children	21' x 20' / 6.4 m x 6 m	6'3" / 1.9 m





# The creature G-21001

Part insect, part robot, here is Jambette designers' fascinating extraterrestrial bio-creature.

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	10 children	21' x 20' / 6.4 m x 6.1 m	6' 11" / 2.1 m





The bug G-15002

A unique and original look! This climber provides an intriguing place to hang out with friends.

SURFACE AREA REQUIRE	D CSA AND ASTM FALL HEIGHT
22' x 19' / 6.7 m x 5.8 m	6' 11" / 2.1 m
1	





The rocket G-12056

A very complete climber with a futuristic look: this climber is perfect to explore Mars and Saturn!

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	12 children	20' x 19' / 7 m x 5.8 m	7' / 2.1 m





The baobab G-13005

Just like its long-lived African counterpart, this majestic tree structure will tower over your park for years, with grace and character.

AGE GROUPCAPACITYSURFACE AREA REQUIREDCSA AND ASTM FALL HEIGHT5 to 12 years old10 children25' x 23' / 7.6 m x 7 m10' 2" / 3.1 m





# The express M-22119-A5B

Jambette's Express will thrill your aspiring young train conductors and railway workers. A complete climber, it sits up high on a rail with pylons and access gates!

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	27 children	56' x 41' / 17.1 m x 12.5 m	11' 2" / 3.4 m





Manta J6-16005-5B

Standalone, combined or built into a play structure, this climber is ful of options for climbing, hanging and walking on all fours.





# The whale G-13001

The whale is an imaginative climber with multiple hand holds for plenty of climbing options. The head and fins can be used as surfboards for balance coordination or as seats.

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	10 children	30' x 27' / 9.1 m x 8.2 m	10' 10" / 3.3 m





# The refuge G-15009

Blending perfectly into its environment with foliage and wood colours, this forest refuge immerses children into Nature's wonders. A genuine little slice of paradise!





# The iceberg G-21008

Reminiscent of the splendid and striking glaciers of the North, the shape and impressive size of this structure is a unique likeness of Nature's angular grandeur now easier than ever to add to your park.

AGE G	ROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
18 mon	ths to 12 years old	15 children	23' x 21' / 7 m x 6.4 m	9' 6" / 2.9 m





The Xyrä-1 G-09000 Animal-bots: a wonderfully challenging climber for young adventurers! Our most comprehensive Xyrä, complete with an aerial ladder, stepping pods, a spinner, climbers and a climbing wall with grips! Take off on a ride to another planet!

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA AND ASTM FALL HEIGHT
5 to 12 years old	20 children	29' x 27' / 8.8 m x 8.2 m	7' 7" / 2.3 m





The Xyrä-25 G-11041

Animal-bots: a wonderfully challenging climber for young adventurers! Take off on a ride to another planet!



# The Outdoor Classroom

La chemille.

Fausses pattes Tere

♥↓♥



# The Outdoor Classroom

At Jambette, we believe that our mission to make the world a better place means rethinking the way children are taught today, in order to maximize their learning as our future citizens.

This outdoor space fitted to your needs will quickly become a favourite place for teachers and students to gather. Moreover, it will provide an opportunity to integrate nature into your school setting. This interactive space serves as a multipurpose teaching environment, tailored to meet children's specific learning needs.





#### NEW

#### The whiteboard

With this board, students can enjoy class time outdoors.

Like a conventional whiteboard, its surface finish is suitable for use with dry-erase markers.



The whiteboard with open doors, front view **A-22001** 



The whiteboard with closed doors, front view A-22001



The doorless whiteboard, back view **A-22002** 



The doorless whiteboard, front view **A-22002** 



Lake



The chalkboard with doors A-20000

ike a conventional board, its surface finish is suitable for use with easily erasable chall he two lockable doors have a storage space on one side and even more space for halking on the other!

χ

The doorless chalkboard A-20001

<u>\_</u>^



The side table A-20002

The game table **H-20006** 

The leaves stepping stones **G-12026** 



L-19082-A



The stacked books G-20003



The double freestanding hammock L-19090-B





The rock crossing G-15004 The worker ant on the ground **G-16004** 



The worker bee on the ground **G-20000** 





H-22000



The two-seater one-sided table **H-22001** 









# My free play

Jambette launches the first free play equipment in the institutional recreational equipment industry: My free play.

Public playgrounds offer a range of activities that get children moving while fostering their physical and social development. The **My free play** and **My free play mini** modules are new, original Jambette signature concepts which add another dimension to play: CREATIVITY.

Jambette designed the **My free play** and **My free play mini** modules with the basic principles of free play in mind: plenty of free time, freedom to explore and make decisions, a space where adults are not involved and accessories to stimulate their imagination.





Get children to create their own world of fun in a safe, supportive setting.

**My free play!** It's a cabin, a truck, a spaceship, a lab... It's anything that children will turn it into with the materials at hand.

#### Included:


- Frame delivered in separate parts
- Stainless steel assembly hardware
- Plastic containers
- Pails
- Oversized nuts and bolts
- Assortment of polyethylene panels to be assembled in countless ways
- Ropes of various lengths
- Tarp
- Flattened cardboard boxes
- Timber of various lengths

### My free play original 🔏

MODEL	AGE GROUP	CAPACITY	SIZE
JL-20000 My free play original	18 months to 12 years old	12 children	9' 5" x 9' 5" / 2.9 m x 2.9 m

This logo identifies products that are wheelchair accessible in accordance with Appendix H of the CAN/CSA-Z614 standard and the *Americans with Disabilities Act Accessibility Guidelines (ADAAG)*.





#### Mini but no less extraordinary!

This smaller version of the original module is adapted for a younger age group: daycare users. The dimensions are ideal for a more limited outdoor space; moreover, the size of the structure and its accessories were designed for the small hands of mini builders.

#### Included:

- "My free play mini" frame delivered in separate parts
- Stainless steel assembly hardware for use by mini installers
- Plastic containers
- Pails
- Oversized nuts and bolts
- Assortment of polyethylene panels to be assembled in countless ways
- Ropes of various lengths
- Tarp
- Flattened cardboard boxes
- Timber of various lengths

### My free play mini 🔏

MODEL	AGE GROUP	CAPACITY	SIZE	Jambette
JL-20001 My free play mini	18 months to 12 years old	5 children	5' 2" x 4' 5" / 1.5 m x 1.3 m	Jambette Boutik

This logo identifies products that are wheelchair accessible in accordance with Appendix H of the CAN/CSA-Z614 standard and the *Americans with Disabilities Act Accessibility Guidelines (ADAAG)*.

myfree

mini

Shop for this product directly online at jambetteboutik.com.











## A tool to help you

#### CSA-Z614 AND ASTM F1487 STANDARDS

Canadian and American playground standards have been in place for several years now. They include sections and references regarding accessibility for children with mobility impairments. The primary standards are Appendix H of CAN/CSA-Z614 and the *Americans with Disabilities Act* Accessibility Guidelines (ADAAG).



This logo found throughout this catalogue indicates that the products are "accessible" as per these safety standards.



#### LARGE SELECTION OF INCLUSIVE PRODUCTS

At Jambette, we are convinced that public parks should offer a true play experience for everyone, young and old alike. Through an inclusive approach that stimulates creativity and free play, we strive to broaden up playing by making it accessible and open to all.

L-20029

L-21070

French front, English back

English front, Spanish back

enjoy their favourite leisure activities.

Some children need more structured support to function. Using pictograms helps them organize their activities at the playground. When they feel more comfortable and happier, they can better

Here are structures that combine an appealing design with safety: solutions for creating spaces in perfect harmony with the environment, with a touch of flair and imagination.





#### NEW

The Xyrä-45 L-20043

A great addition to any playground, playing with this spinner in a sitting position or kneeling down creates an exciting rotating motion. An experience not to be missed, whether on your own or with friends!



NEW

L-20021

L-20028

English front-back

French front-back

The non-verbal

communication board

#### The Silla-2 rocker L-21078

#### Upright spring module, two-seater model

A truly original rocker! The central axle and springs ensure stable movement, so there is no need for ground shock absorbers. The cradle seats of this rocker are designed to support the body, ensuring the safety of users with impaired mobility.







Shop from a selection of accessible products directly online at jambetteboutik.com.



#### NEW

## **The sensory tunnel** *L*-22001-A and *L*-22001-B

Go through the tunnel and discover a world of colours and textures that build handling skills and dexterity, in a calm and secure setting.

#### NEW

#### **The gondola** L-21027-5AB

This platform rocks from right to left and provides a stimulating space for children with impaired mobility to socialize.

J3-22116-5HA

# The accessible wheelchair swing set

L-19086

- Being able to swing in your own wheelchair is a unique and amazing experience to enjoy.
- The swinging movement helps to develop the inner ear and one's sense of balance.





### The xylophone $\square$ L-18033-B

 For budding young musicians, this xylophone actually plays the scale notes (C-D-E-F-G-A-B-C). This xylophone is tuned, so it produces harmonious sounds and can be used at a musical camp, for instance.

## **The accessible sand digger\*** L-15011

- Working the levers to pick up sand with the bucket is a coordination challenge.
- It helps to develop observation and spatial organization.
- Without a built-in seat, this piece of equipment can be used from a wheelchair.
- \* A model with an integrated seat is also available (L-15010).





## The rotomoulded adaptive swing seat S-18000

- It provides a unique experience for young people with impaired mobility.
- The seat is equipped with a safety harness.

### The mobile deck for wheelchair\*

- · Regular and repetitive swinging has a calming effect on users.
- The experience of rocking in your own wheelchair is a unique and amazing experience to enjoy.
- This type of motion helps to develop the inner ear and one's sense of balance.
- \* The deck is installed directly on a play structure.





#### The monkey bar with 2 rings J2-15008-5B

- · A set of overhead rings helps to develop the upper limbs.
- Installed at an appropriate height, this type of equipment allows for wheelchair access.

### The reel J2-15031-5B

- · The reeling motion helps develop the upper limbs.
- · Installed at an appropriate height, this type of equipment allows for wheelchair access.





### The percu-sound\* L-15046-B

- · This musical instrument stimulates hearing skills.
- · Playing music helps to develop movement coordination and rhythm.
- \* A model with Indigenous designs is also available. Ask for L-16018-B.

### **The marbles manipulation panel** L-17048-B

- · Sets with moving parts entertain and captivate.
- A set of small, moving marbles simulate the movement of fluids and introduce certain laws of physics.







## The braille panel

L-18004-B

- The light textures help to develop the sense of touch.
- Learning the writing system of the visually impaired and blind contributes to inclusion.

#### NEW

#### The three in a row game panel L-21001-B

• The small parts to handle help to develop dexterity and fine motor skills.





## **The sign language panel** *L*-17032-A

- The light textures help to develop the sense of touch.
- Learning the sign language of the deaf-mute contributes to inclusion.

#### The painting panel L-0038

- Creating and fostering creativity are very stimulating and encourage the development of artistic talents.
- Painting helps to develop dexterity and fine motor skills.
- · Contact with gouache helps to develop the sense of touch.



#### NEW

## **The multi-texture sensory panel** *L-22048-A*

- The light textures help to develop the sense of touch.
- The layout of play panels provides a range of stimuli.



#### The control panel L-13012-A

- The small parts to handle help to develop dexterity and fine motor skill.
- Reproducing the dashboard of a vehicle, this panel is sure to stimulate imagination and role-playing.

## The Etna Trapp swing\*

#### GX-07069

- Several children can swing together on this large fun-filled saucer, fostering inclusion, interaction with others and socializing.
- Regular and repetitive swinging has a calming effect on users.
- \* A model with two saucers is also available. Ask for GX-07070.





#### The hammock L-16020-B

- Experiencing the swinging motion lends to calm and reverie.
- This type of motion helps to develop the inner ear and one's sense of balance.

#### The bush single-rider LA-20001

• With an easy front access, this product is ideal for younger children or children with motor impairments.





## The kitchenette A-18000

- Imitating adults is sure to stimulate the imagination.
- Several children can play together with this product, fostering inclusion, interaction with others and socializing.

The workbench

A-21000




## tte workbench recreates the sistibly playful and childlike t

• The Jambette workbench recreates the world of adults with an irresistibly playful and childlike touch! Work surface, saw, vice, tools, level, protractor and clock: everything is there for children to nurture their creativity, imagination and social skills.

## **The newtonian telescope** *L-16001-B*

· A telescope inevitably rouses curiosity... Who wouldn't want to take a peek?





#### The spinning chair L-18043

• The spinning motion stimulates the development of balance and spatial organization.



## The rocking nest

- L-19079
- Experiencing the rocking motion helps to develop the inner ear and one's sense of balance.
- Some children need to isolate themselves from their surroundings.

#### The suspended nest L-19080

- Experiencing the swinging motion helps to develop the inner ear and one's sense of balance.
- Some children need to isolate themselves from their surroundings.





## The accessible craft table LA-20000 and LA-22001

 Several children can play together at this craft table, fostering inclusion, interaction with others and socializing.




All products on this page are accessible; details on page 159.



#### The adapted overhead loop ladder

Model	Age group	Capacity	Surface area required	ASTM fall height
J2-17104-5HB	18 months to 12 years old	2	22' x 18' / 6.7 m x 5.5 m	5'7" / 1.7 m

This accessible playground equipment helps to develop the upper body.



#### The adapted curved overhead loop ladder

Model	Age group	Capacity	Surface area required	ASTM fall height
J2-17103-5HB	18 months to 12 years old	2	22' x 18' / 6.7 m x 5.5 m	5'7" / 1.7 m


This accessible playground equipment helps to develop the upper body.



#### The adapted overhead ring ladder

Model	Age group	Capacity	Surface area required	ASTM fall height
J2-17102-5HB	18 months to 12 years old	2	22' x 18' / 6.7 m x 5.5 m	5'7" / 1.7 m

This accessible playground equipment helps to develop the upper body. The mobile rings hanging from the set structure make the activity more challenging and fun.



#### The adapted curved overhead ring ladder


Model	Age group	Capacity	Surface area required	ASTM fall height
J2-17101-5HB	18 months to 12 years old	2	22' x 18' / 6.7 m x 5.5 m	5'7" / 1.7 m

This accessible playground equipment helps to develop the upper body. The mobile rings hanging from the set structure make the activity more challenging and fun.



This platform rocks from right to left and provides a stimulating space for children with impaired mobility to socialize.





The light textures of the sign language panel help to develop the sense of touch.

Platform heights ———•

## J3-22150-HA play structure

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 12 years old	147 children	67' x 54' / 20.4 m x 16.5 m	8' 2" / 2.5 m	5' / 1.5 m



Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.





## J3-22415-HB play structure

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 12 years old	49 children	35' x 31' / 10.7 m x 9.5 m	8' 2" / 2.5 m	7'1" / 2.2 m



Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.





## J3-22328-5HA play structure

AGE GROUP	CAPACITY	SURFACE AREA REQUIRED	CSA FALL HEIGHT	ASTM FALL HEIGHT
18 months to 12 years old	30 children	41' x 28' / 12.5 m x 8.5 m	9' 2" / 2.8 m	6' / 1.8 m



Based on the CAN/CSA-Z614 standard, installation on a cushioning surface and compliance with clearance distances are required.



# Playground Equipment

T

1 13

1

V

(0)

## **SPINNERS** AND SLIDES

#### THE STATE-OF-THE-ART SPINNERS

- Contemporary design
- Mounted on quality automobile ball bearings
- 3 models available: overhead, standing and sitting
- Large selection of colours



L-09000

#### The Xyrä-30 overhead spinner

Model	Age group	Capacity	Surface area required	Fall height
L-09000	5 to 12 years old	6	23' x 23' / 7 m x 7 m	6'7" / 2 m





L-09002

#### The Xyrä-40 sitting spinner

Model	Age group	Capacity	Surface area required	Fall height
L-09002	18 months to 12 years old	1	14' x 14' / 4.3 m x 4.3 m	16" / 0.4 m



L-18043



L-19023



L-09001

#### The Xyrä-35 standing spinner

Model	Age group	Capacity	Surface area required	Fall height
L-09001	18 months to 12 years old	3	14' x 14' / 4.3 m x 4.3 m	13" / 0.33 m




#### L-20043

ľ	The Xyrä-45 spinner								
	Model	Age group	Capacity	Surface area required	Fall height				
	L-20043	18 months to 12 years old	4	14' x 14' / 4.3 m x 4.3 m	16" / 0.4 m				

#### The chairs

Model	Name	Age group	Capacity	Surface area required	Fall height
L-18043 💦	The spinning chair	18 months to 12 years old	2	17' x 17' / 5.2 m x 5.2 m	1' 8" / 0.5 m
L-19023	The oscillating chair	18 months to 12 years old	2	16' x 16' / 4.9 m x 4.9 m	1' 8" / 0.5 m

172 JAMBETTE.COM






#### J2-22068-5B

#### The J2 slides

Model	Age group	Capacity	Type of climber	Type of slide	Surface area required	CSA fall height	ASTM fall height	Deck height
J2-22064-5B	18 months to 12 years old	5	Stairs	Wave slide	25' x 16' / 7.6 m x 4.9 m	7' 2" / 2.2 m	4' / 1.2 m	4' / 1.2 m
J2-22065-5B	18 months to 12 years old	5	Stairs	Wave slide	27' x 16' / 8.2 m x 4.9 m	8'2" / 2.5 m	5' / 1.5 m	5' / 1.5 m
J2-22066-5B	5 to 12 years old	5	Stairs	Wave slide	28' x 16' / 8.5 m x 4.9 m	9'2" / 2.8 m	6' / 1.8 m	6' / 1.8 m
J2-22067-5B	18 months to 12 years old	5	Twist Climber	Wave slide	27' x 21' / 8.2 m x 6.4 m	7' 2" / 2.2 m	4' / 1.2 m	4' / 1.2 m
J2-22068-5B	18 months to 12 years old	6	Twist Climber	Wave slide	28' x 22' / 8.5 m x 6.7 m	8'2" / 2.5 m	5' / 1.5 m	5' / 1.5 m
J2-22069-5B	5 to 12 years old	6	Twist Climber	Wave slide	32' x 20' / 9.8 m x 6.1 m	9'2" / 2.8 m	6' / 1.8 m	6' / 1.8 m
J2-22070-5B	18 months to 12 years old	6	Wave Climber	Wave slide	25' x 16' / 7.6 m x 4.9 m	7' 2" / 2.2 m	4' / 1.2 m	4' / 1.2 m
J2-22071-5B	18 months to 12 years old	6	Wave Climber	Wave slide	28' x 16' / 8.5 m x 4.9 m	8'2" / 2.5 m	5' / 1.5 m	5' / 1.5 m
J2-22072-5B	5 to 12 years old	6	Wave Climber	Wave slide	29' x 16' / 8.8 m x 4.9 m	9'2" / 2.8 m	6' / 1.8 m	6' / 1.8 m



#### The traditional slides

Model	Age group	Capacity	Surface area required	CSA fall height	ASTM fall height	Deck height
L-22041-B	18 months to 12 years old	5	26' x 17" / 7.9 m x 5.2 m	6'3" / 1.9 m	3' / 0.9 m	3' / 0.9 m
L-22042-B	18 months to 12 years old	5	24' x 16' / 7.3 m x 4.9 m	6'3" / 1.9 m	3' / 0.9 m	3' / 0.9 m
L-22043-B	18 months to 12 years old	5	27' x 17' / 8.2 m x 5.2 m	7' 3" / 2.2 m	4' / 1.2 m	4' / 1.2 m
L-22044-B	18 months to 12 years old	5	26' x 16' / 7.9 m x 4.9 m	7' 2" / 2.2 m	4' / 1.2 m	4' / 1.2 m
L-22045-B	18 months to 12 years old	5	28' x 16' / 8.5 m x 4.9 m	8' 2" / 2.5 m	5' / 1.5 m	5' / 1.5 m
L-22046-B	18 months to 12 years old	5	28' x 16' / 8.5 m x 4.9 m	9' 2" / 2.7 m	6' / 1.8 m	6' / 1.8 m

#### The traditional stainless steel slides

Model	Age group	Capacity	Surface area required	CSA fall height	ASTM fall height	Deck height
L-15027-B	18 months to 12 years old	5	25' x 17' / 7.6 m x 5.2 m	6'3" / 1.9 m	3' / 0.9 m	3' / 0.9 m
L-15028-B	18 months to 12 years old	5	26' x 17' / 7.9 m x 5.2 m	7' 3" / 2.2 m	4' / 1.2 m	4' / 1.2 m
L-15029-B	18 months to 12 years old	5	27' x 15' / 8.2 m x 4.6 m	8' 2" / 2.5 m	5' / 1.5 m	5' / 1.5 m
L-15030-B	18 months to 12 years old	5	32' x 17' / 9.7 m x 5.2 m	9' 2" / 2.8 m	6' / 1.8 m	6' / 1.8 m

#### THE "AMBIANCE" SERIES SLIDES


- Fun, figurative models
- UV-treated, high-density polyethylene (HDPE) slide deck coloured in the mass and cast in one piece (10-year warranty)
- Deck height of 2' / 0.6 m

Access up stairs with safety rails

• For children 18 months to 5 years old

• Large selection of colours

• Anchored to the ground with a freestanding system; no need to pour concrete



#### The elephant slide With a maze engraved on both ears

Model	Capacity	Surface area required	Fall height			
L-0501	8	21' x 15' / 6.4 m x 4.6 m	4' 3" / 1.3 m			

#### The dream catcher slide

Mode	əl	Capacity	Surface area required	Fall height	
L-1500	00	6	21' x 15' / 6.4 m x 4.6 m	4' 3" / 1.3 m	





L-13002

#### The treasure island slide

Model	Capacity	Surface area required	Fall height
L-13005	8	21' x 15' / 6.4 m x 4.6 m	4'3" / 1.3 m



#### The treehouse slide

Fall height

4'3" / 1.3 m

Model	Capacity	Surface area required	Fall height
L-13002	8	21' x 15' / 6.4 m x 4.6 m	4'3" / 1.3 m
Fall height			日
4'3" / 1.3 m			R.
			1
		L-13	005

#### The fish slide

Model	Capacity	Surface area required	Fall height
L-19084	8	22' x 15' / 6.7 m x 4.6 m	4'3" / 1.3 m

## CLICFIX

## **Clicfix**<sup>~~</sup>

## The climbing wall with movable grips for elementary schools and daycare centres

An introduction to rock climbing helps to develop new skills and different ways of using the arms and legs to climb.

- High-density polyethylene (HDPE) modular panels make it easy to create a climbing wall that fits into the space available.
- Engravings on the panels represent various themes (waves, mountains, nature, etc.).
- 3" thick folding landing mats are available (ask for product S-5002). Raised mats mean that children should not go on the climbing wall to prevent unsupervised use.
- Clicfix<sup>™</sup> climbing grips come in various shapes. They can be repositioned using an anti-theft key for a new challenge every time.











Tornado

Water


Yeti mountain




Nature




Balls





Geometrics



Waves

Rocks



Available for both indoor and outdoor use!



## **CLIMBERS AND TEETER TOTTERS**

#### THE MINI-C™

For young explorers and climbers at the start of their career!

- Climbers that stimulate muscles and imagination!
- Perfect for enhancing theme layouts, such as nature, space, aquamaritime and public services
- Available in all Jambette colours



The mini-C<sup>™</sup>

G-14003

Model	Name	Age group	Capacity	Surface area required	Fall height
G-14000	The wading bird mini-climber	18 months to 5 years old	3	17' x 16' / 5.2 m x 4.9 m	3'7"/ 1.1 m
G-14002	The astronaut mini-climber	18 months to 5 years old	4	18' x 18' / 5.5 m x 5.5 m	3'3" / 1 m
G-14003	The firefighter mini-climber	18 months to 5 years old	3	17' x 15' / 5.2 m x 4.6 m	3'3" / 1 m
G-14008	The whale mini-climber	18 months to 5 years old	4	19' x 17' / 5.8 m x 5.2 m	3'3" / 1 m



#### THE BOAT STRUCTURE CLIMBER

Challenging children to do lots of basic body movements like climbing and hanging, this Jambette climber is an excellent development tool for youth.

#### The boat structure

Model	Age group	Capacity	Surface area required	Fall height
G-21011	18 months to 12 years old	16	24' x 15' / 7.3 m x 4.6 m	4'7" / 1.4 m

#### THE BEASTIE

Our versatile, climber! Reduced in size and designed for a broad age group, this new climber can address a number of playground planning challenges.

• Canadian aluminum frame (lifetime warranty)

panels (10-year warranty)

• High-density polyethylene (HDPE)

- Stainless steel hardware (lifetime warranty)
- Large selection of colours



Model	Age group	Capacity	Surface area required	Fall height
G-21003 💦	18 months to 5 years old	8	21' x 20' / 6.4 m x 6 m	6'3" / 1.9 m


#### THE ARCHED CLIMBERS

- Practical and assorted
- Many play elements
- Climbing wall and curved overhead ladder on certain models
- Safe steps
- Large selection of colours
- Anchored to the ground with a freestanding system; no need to pour concrete



Model	Name	Age group	Capacity	Number of overhead climbers	Number of wall climbers	Surface area required	Fall height
G-11040	Xyrä-20	18 months to 12 years old	8	3	-	26' x 24' / 7.9 m x 7.3 m	5' 11" / 1.8 m
G-11046	Xyrä-21	18 months to 12 years old	8	2	1	28' x 25' / 8.5 m x 7.6 m	7'7" / 2.3 m
G-11047	Xyrä-22	18 months to 12 years old	8	1	2	29' x 26' / 8.8 m x 7.9 m	7'7" / 2.3 m
G-11048	Xyrä-23	18 months to 12 years old	8	-	3	29' X 27' / 8.8 m x 8.2 m	7'7" / 2.3 m
G-11049	Xyrä-26	5 to 12 years old	10	3	-	27' x 25' / 8.2 m x 7.6 m	7'7" / 2.3 m
G-11050	Xyrä-27	5 to 12 years old	10	2	1	28' x 26' / 8.5 m x 7.9 m	9' 6" / 2.9 m
G-11051	Xyrä-28	5 to 12 years old	10	1	2	29' x 26' / 8.8 m x 7.9 m	9' 6" / 2.9 m
G-11052	Xyrä-29	5 to 12 years old	10	-	3	29' x 27' / 8.8 m x 8.2 m	9' 6" / 2.9 m







#### BLACK SPRUCES, YELLOW BIRCHES, SUGAR MAPLES, **BROCCOS, PALMS AND GRAPEVINE TO CLIMB**

- Easily combines with J2, J3, J4 and J6 modular systems
- 5" / 89-mm diameter aluminium posts (lifetime warranty)
- Tops, steps and accessories made of UV-resistant, high-density polyethylene (HDPE) coloured in the mass (10-year warranty)
- Large selection of colours

3

3

3



Height

10' / 3 m



Yellow birch Sugar maple Brocco climber

Fall height

3'7" / 1.1 m

3'7" / 1.1 m

3'7" / 1.1 m

Grapevine Palm tree





\* The G-11034 features a porcupine ornament.

18 months to 12 years old

18 months to 12 years old

18 months to 12 years old

#### The yellow birch tree

Model

G-11032

G-11033

G-11034\*

Model	Age group	Capacity	Surface area required	Fall height	Height
G-15007	18 months to 12 years old	3	17' x 16' / 5.2 m x 4.9 m	3'7" / 1.1 m	10' / 3 m
G-15008	18 months to 12 years old	3	15' x 15' / 4.6 m x 4.6 m	3'7" / 1.1 m	11' / 3.3 m

Surface area required

16' x 16' / 4.9 m x 4.9 m

16' x 16' / 4.9 m x 4.9 m

16' x 16' / 4.9 m x 4.9 m

#### The sugar maple tree

Model	Age group	Capacity	Surface area required	Fall height	Height
G-17000	18 months to 12 years old	3	17' x 17' / 5.2 m x 5.2 m	3'7" / 1.1 m	10' / 3 m
G-17001	18 months to 12 years old	3	17' x 17' / 5.2 m x 5.2 m	3'7" / 1.1 m	11' / 3.3 m

#### The brocco climber

Model	Age group	Capacity	Surface area required	Fall height	Height
G-17003	18 months to 12 years old	3	16' x 16' / 4.9 m x 4.9 m	3'7" / 1.1 m	10' / 3 m
G-17004	18 months to 12 years old	3	18' x 18' / 5.5 m x 5.5 m	3'7" / 1.1 m	11' / 3.3 m

#### The palm tree

Model	Age group	Capacity	Surface area required	Fall height	Height
G-18017	18 months to 12 years old	3	16' x 16' / 4.9 m x 4.9 m	3'7" / 1.1 m	10' / 3 m
G-18018	18 months to 12 years old	3	16' x 16' / 4.9 m x 4.9 m	3'7" / 1.1 m	11' / 3.3 m

#### The grapevine

Model	Age group	Capacity	Surface area required	Fall height	Height
G-19009	18 months to 12 years old	3	15' x 15' / 4.6 m x 4.6 m	3'7" / 1.1 m	11' / 3.3 m











#### THE IRIS™

Right-side up! Upside down! The possibilities are endless!

Overhead climbers with revolutionary multi-grip handles

- Children can climb under, inside or on top of the handles
- Great challenges await even older children







G-14007



G-14006

G-14004

G-17005

#### The iris<sup>™</sup>

Model	Name	Age group	Capacity	Surface area required	Fall height
G-13002	The classic iris	18 months to 12 years old	4	24' x 16' / 7.3 m x 4.9 m	7'7" / 2.3 m
G-14004	The wading bird iris	18 months to 12 years old	6	24' x 16' / 7.3 m x 4.9 m	7' 7" / 2.3 m
G-14006	The whale iris	18 months to 12 years old	6	22' x 14' / 6.7 m x 4.3 m	7'7" / 2.3 m
G-14007	The astronaut iris	18 months to 12 years old	6	22' x 14' / 6.7 m x 4.3 m	7' 7" / 2.3 m
G-17005	The dragon iris	18 months to 12 years old	6	24' x 16' / 7.3 m x 4.9 m	7' 7" / 2.3 m
G-18000	The wolf iris	18 months to 12 years old	6	22' x 14' / 6.7 m x 4.3 m	7' 7" / 2.3 m
G-18004	The goalie Iris	18 months to 12 years old	6	24' x 16' / 7.3 m x 4.9 m	7' 7" / 2.3 m
G-19007	The baseball glove iris	18 months to 12 years old	6	22' x 14' / 6.7 m x 4.3 m	7'7" / 2.3 m
G-19019	The beehive iris	18 months to 12 years old	6	22' x 14' / 6.7 m x 4.3 m	7'7" / 2.3 m











G-19007

G-19019





A-15000 The discovery tipi

#### The discovery tipi and the tipi climber 👪

The dome with openings 🔏

Age group

5 to 12

years old 18 months to

12 years old

Model

G-9441-D

G-9442-D

Model	Age group	Surface area required	Capacity	Fall height
A-15000	18 months to 12 years old	20' x 20' / 6.1 m x 6.1 m	8	4'7" / 1.4 m
G-21000	18 months to 12 years old	20' x 20' / 6.1 m x 6.1 m	8	4'7" / 1.4 m

Diameter

15' / 4.5 m

10' / 3 m



G-9441-D

#### THE TURBULENCE CLIMBERS

Sensational climbers with an urban and industrial style, which smartly combine curved and straight shapes. Climb to the top on the outside of the structure, then try it a different way by going through.

- Stainless steel, anti-vandalism hardware
- Large selection of colours



Surface area required

29' x 29' / 8.8 m x 8.8 m

24' x 24' / 7.3 m x 7.3 m

Capacity

20

15

Fall height

6'7" / 2 m

4'7" / 1.4 m

#### The turbulence climbers

Model	Name	Age group	Capacity	Surface area required	Fall height
G-19010	Turbulence climber 3'	18 months to 12 years old	4	16' x 16' / 4.9 m x 4.9 m	4'7" / 1.4 m
G-19011	Turbulence climber 4'	18 months to 12 years old	4	16' x 16' / 4.9 m x 4.9 m	5' 7" / 1.7 m
G-19012	Turbulence climber 5'	18 months to 12 years old	4	16' x 16' / 4.9 m x 4.9 m	6'7" / 2 m
G-19013	Turbulence climber 6'	18 months to 12 years old	6	16' x 16' / 4.9 m x 4.9 m	7'7" / 2.3 m
G-19014	Turbulence climber 7'	5 to 12 years old	6	16' x 16' / 4.9 m x 4.9 m	8' 6" / 2.6 m
G-19015	Turbulence climber 8'	5 to 12 years old	6	16' x 16' / 4.9 m x 4.9 m	9'6" / 2.9 m



ommunication, i	ge and fun! leaf hideaway, a world where mutual support and wonder s is designed to serve as she en can enjoy hiding, climbing	come toget lter, seat or b	her! palancing	G-21017		J5-21001-5B
A.						No. Th
G-21012	2	G-2	21013	G-2	1014	G-21015
	SII .			1		
G-21		G-21018	G	G-21019	J5-2	21001-5B
G-21 <b>The leaf hi</b> Model		G-21018 Capacity	G Surface area required	G-21019 Fall height	J5-:	21001-5B
The leaf hi	ideaway NEW				J5-2	21001-5B
T <b>he leaf hi</b> <sub>Model</sub>	Age group	Capacity	Surface area required	Fall height	J5-:	21001-5B
<b>The leaf hi</b> Model G-21012	Age group 18 months to 12 years old	Capacity 3	<b>Surface area required</b> 19' x 16' / 5.8 m x 4.9 m	Fall height 31" / 0.79 m	J5-2	21001-5B
<b>The leaf hi</b> Model G-21012 G-21013	Age group 18 months to 12 years old 18 months to 12 years old	Capacity 3 4	<b>Surface area required</b> 19' x 16' / 5.8 m x 4.9 m 19' x 16' / 5.8 m x 4.9 m	Fall height 31" / 0.79 m 35" / 0.9 m		
The leaf hi Model G-21012 G-21013 G-21014	Age group 18 months to 12 years old 18 months to 12 years old 18 months to 12 years old	Сарасіtу 3 4 4	<b>Surface area required</b> 19' x 16' / 5.8 m x 4.9 m 19' x 16' / 5.8 m x 4.9 m 20' x 17' / 6.1 m x 5.2 m	<b>Fall height</b> 31" / 0.79 m 35" / 0.9 m 43" / 1.09 m		21001-5B
The leaf hi Model G-21012 G-21013 G-21014 G-21015	Age group Age group 18 months to 12 years old 18 months to 12 years old 18 months to 12 years old 18 months to 12 years old	Capacity           3           4           4           3	Surface area required 19' x 16' / 5.8 m x 4.9 m 19' x 16' / 5.8 m x 4.9 m 20' x 17' / 6.1 m x 5.2 m 19' x 16' / 5.8 m x 4.9 m	Fall height 31" / 0.79 m 35" / 0.9 m 43" / 1.09 m 24" / 0.6 m		
The leaf hi Model G-21012 G-21013 G-21014 G-21015 G-21016	Age group       18 months to 12 years old	Capacity           3           4           3           4           3           3           3	Surface area required 19' x 16' / 5.8 m x 4.9 m 19' x 16' / 5.8 m x 4.9 m 20' x 17' / 6.1 m x 5.2 m 19' x 16' / 5.8 m x 4.9 m 19' x 16' / 5.8 m x 4.9 m	Fall height 31" / 0.79 m 35" / 0.9 m 43" / 1.09 m 24" / 0.6 m 36" / 0.9 m		
The leaf hi Model G-21012 G-21013 G-21014 G-21015 G-21016 G-21017	Age group       18 months to 12 years old	Capacity           3           4           3           3           3           3           1           3	Surface area required 19' x 16' / 5.8 m x 4.9 m 19' x 16' / 5.8 m x 4.9 m 20' x 17' / 6.1 m x 5.2 m 19' x 16' / 5.8 m x 4.9 m 19' x 16' / 5.8 m x 4.9 m	Fall height 31" / 0.79 m 35" / 0.9 m 43" / 1.09 m 24" / 0.6 m 36" / 0.9 m 79" / 2 m		
The leaf hi Model G-21012 G-21013 G-21014 G-21015 G-21016 G-21017 G-21018	Age group         18 months to 12 years old	Capacity           3           4           3           4           3           3           3           1           2           2	Surface area required 19' x 16' / 5.8 m x 4.9 m 19' x 16' / 5.8 m x 4.9 m 20' x 17' / 6.1 m x 5.2 m 19' x 16' / 5.8 m x 4.9 m 19' x 16' / 5.8 m x 4.9 m 17' x 16' / 5.2 m x 4.9 m	Fall height 31" / 0.79 m 35" / 0.9 m 43" / 1.09 m 24" / 0.6 m 36" / 0.9 m 36" / 0.9 m		
Model           G-21012           G-21013           G-21014           G-21015           G-21016           G-21017           G-21018           G-21019	Age group         18 months to 12 years old         18 months to 12 years old	Capacity 3 4 3 3 3 3 1 2 2 1	Surface area required           19' x 16' / 5.8 m x 4.9 m           19' x 16' / 5.8 m x 4.9 m           20' x 17' / 6.1 m x 5.2 m           19' x 16' / 5.8 m x 4.9 m           19' x 16' / 5.8 m x 4.9 m           19' x 16' / 5.2 m x 4.9 m           17' x 16' / 5.2 m x 4.9 m           16' x 15' / 4.9 m x 4.6 m           14' x 13' / 4.3 m x 4 m	Fall height         31" / 0.79 m         35" / 0.9 m         43" / 1.09 m         24" / 0.6 m         36" / 0.9 m         36" / 0.9 m         36" / 0.9 m         12" / 0.3 m		

#### THE SILLA-2 ROCKER

A truly original rocker! The central axle and springs ensure stable movement, so there is no need for ground shock absorbers. The cradle seats of this rocker are designed to support the body, ensuring the safety of users with impaired mobility.

The Silla-2 rocker <b>NEW</b>							
Model	Age group	Capacity	Surface area required	Fall height			
L-21078	18 months to 12 years old	2	21' x 15' / 6.4 m x 4.6 m	18" / 0.5 m			



L-21078

#### THE NEW GENERATION OF TEETER TOTTERS

The sitting Xyrä teeter totter (sitting position)

The standing Xyrä teeter totter (standing position)

- Contemporary design
- Mounted on a rubber shock-absorber
- The ends touch the ground gently
- Tires or other shock absorbers not required

Age group 5 to 12 years old

Age group

5 to 12

years old

• Large selection of colours

Model

L-13003

Model

L-13004

Anchored to the ground with a freestanding system; no need to pour concrete

Capacity

2

Capacity

2

Surface area required

21' x 14' / 6.4 m x 4.3 m

Surface area required

23' x 14' / 7 m x 4.3 m





L-16004

L-13004

## The duetto teeter totter

Model	Age group	Capacity	Surface area required	Fall height
L-16004	18 months to 5 years old	2	18' x 14' / 5.5 m x 4.3 m	2' / 0.6 m

Fall height

3' / 0.9 m

Fall height

3' / 0.9 m







L-17054

#### The teeter totters

Model	Name	Age group	Capacity	Surface area required	Fall height
L-17051	2-seater teeter totter	5 to 12 years old	2	21' x 16' / 6.4 m x 4.9 m	3' 3" / 1 m
L-17052	4-seater teeter totter	5 to 12 years old	4	21' x 20' / 6.4 m x 6.1 m	3' 3" / 1 m
L-17053	6-seater teeter totter	5 to 12 years old	6	25' x 21' / 7.6 m x 6.4 m	3' 3" / 1 m
L-17054	8-seater teeter totter	5 to 12 years old	8	29' x 21' / 8.8 m x 6.4 m	3' 3" / 1 m

#### THE PODIUMS

Line of podiums reminiscent of walking on tree stumps or rocks

- Assembled on a maintenance-free, flexible oscillating system, on most models
- Engraved polyethylene surface representing the individual Jambette themes

G-16005



G-19018



G-17006

G-18008

The podiums

G-16002

ne poulum					
Model	Name	Age group	Capacity	Surface area required	Fall height
G-11059	The oscillating podium	18 months to 12 years old	2	16' x 16' / 4.9 m x 4.9 m	1'4" / 0.4 m
G-13009	The oscillating shark	18 months to 12 years old	2	17' x 16' / 5.2 m x 4.9 m	1'4" / 0.4 m
G-13010-D	The footbridge	18 months to 12 years old	3	16' x 14' / 4.9 m x 4.3 m	7" / 0.2 m
G-14001	The space oscillating podium	18 months to 12 years old	2	18' x 18' / 5.5 m x 5.5 m	1' 4" / 0.4 m
G-14005	The stump oscillating podium	18 months to 12 years old	2	16' x 16' / 4.9 m x 4.9 m	1' 4" / 0.4 m
G-14009	The tern oscillating podium	18 months to 12 years old	2	16' x 16' / 4.9 m x 4.9 m	1'4" / 0.4 m
G-14010	The oscillating skateboard	18 months to 12 years old	2	17' x 13' / 5.2 m x 4 m	1'4" / 0.4 m
G-14012	The oscillating surfboard	18 months to 12 years old	2	17' x 13' / 5.2 m x 4 m	1'4" / 0.4 m
G-15004	The rock crossing	18 months to 12 years old	2	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
G-15005	The oscilla-sound podium 🎵	18 months to 12 years old	2	16' x 16' / 4.9 m x 4.9 m	1'4" / 0.4 m
G-16000	The ball oscillating podium	18 months to 12 years old	2	16' x 16' / 4.9 m x 4.9 m	1'4" / 0.4 m
G-16002	The sound of the river podium 🎜	18 months to 12 years old	2	16' x 16' / 4.9 m x 4.9 m	1'4" / 0.4 m
G-16004	The worker ant on the ground	18 months to 12 years old	2	15' x 15' / 4.6 m x 4.6 m	12" / 0.3 m
G-16005	The spiral stepping stone	18 months to 12 years old	1	14' x 14' / 4.3 m x 4.3 m	12" / 0.3 m
G-17006	The stump stepping stone	18 months to 12 years old	1	14' x 14' / 4.3 m x 4.3 m	1'8" / 0.5 m
G-18008	The honeycomb stepping stone	18 months to 12 years old	1	14' x 14' / 4.3 m x 4.3 m	12" / 0.3 m
G-19018	The leaf stepping stone	18 months to 12 years old	1	14' x 14' / 4.3 m x 4.3 m	12" / 0.3 m





Shop from a selection of individual products directly online at jambetteboutik.com.



#### The balance beam - single

|--|--|--|

#### The balance beam - triple

Model Age	e group Capa	city Surface a required	Fall neight	Model	Age group	Capacity	Surface area required	Fall height
G-18011	nonths to a vears old	25' x 13' 7.6 m x 4		G-18010	18 months to 12 years old	9	27' x 26' / 7.9 m x 8.2 m	12" / 0.3 m



## The freestanding hammock 🔏

Model	Age group	Capacity	Surface area required	Fall height
L-16020-5B	18 months to 12 years old	1	19' x 15' / 5.8 m x 4.6 m	12" / 0.3 m



## The rocking nest 💰

Model	Age group	Capacity	Surface area required	Fall height	N
L-19079	18 months to 12 years old	1	15' x 15' / 4.6 m x 4.6 m	1' 4" / 0.4 m	L-1



## The hammock trio

Model	Age group	Capacity	Surface area required	Fall height
L-16035-5A	18 months to 12 years old	3	22' x 21' / 6.7 m x 6.4 m	6" / 0.2 m



## The suspended nest 🔏

Fall height	Model	Age group	Capacity	Surface area required	Fall height
1'4" / 0.4 m	L-19080	18 months to 12 years old	1	18' x 15' / 5.5 m x 4.6 m	13" / 0.3 m



## **CABLE STRUCTURES**

- Mast and intersecting cable sets in pyramid or molecular shapes
- Excellent climbing challenge
- Polyester-powder painted steel structures
- ${\boldsymbol{\cdot}}$  Flame-resistant polyamide (nylon) cables woven with stainless steel cable
- Cables 0.8125" / 20 mm and 0.8750" / 22 mm in diameter



GX-07006



\*Rope seats available as an extra.



GX-07039

#### **The Saint-Helens\***

Model	Name	Age group	Capacity	Surface area required	Height	Fall height
GX-07004	The Saint-Helens-1	5 to 12 years old	27	27' x 27' / 8.2 m x 8.2 m	10' 6" / 3.2 m	1'4" / 0.4 m
GX-07005	The Saint-Helens-2	5 to 12 years old	36	30' x 30' / 9.1 m x 9.1 m	12'10" / 4 m	4'7" / 1.4 m
GX-07006	The Saint-Helens-3	5 to 12 years old	62	45' x 45' / 13.7 m x 13.7 m	18' 8" / 5.7 m	6'3" / 1.9 m
GX-07007	The Saint-Helens-4	5 to 12 years old	140	52' x 52' / 15.8 m x 15.8 m	24'7" / 7.5 m	7'3" / 2.2 m

#### **The Pagos**

-						
Model	Name	Age group	Capacity	Surface area required	Height	Fall height
GX-07039 🚮	The Pago-1	18 months to 5 years old	15	25' x 25' / 7.6 m x 7.6 m	8'2" / 2.5 m	4' 11" / 1.5 m
GX-07041 🚮	The Pago-3	5 to 12 years old	25	29' x 29' / 8.7 m x 8.7 m	11' / 3.4 m	6'11" / 2.1 m
GX-07043 <mark></mark>	The Pago-5	5 to 12 years old	35	29' x 29' / 8.7 m x 8.7 m	13' / 4 m	9' 6" / 2.9 m

## **PRESCHOOL PRODUCTS AND SPRING RIDERS**



Shop from a selection of spring riders directly online at jambetteboutik.com.




LA-12002-D



LA-12003-D



LA-12004-D



LA-12005-D



LA-12006-D



LA-12007-D






LA-13001-D

#### "Cabin-type" single-rider models

Model	Name	Age group	Surface area required	Fall height
LA-12002-D	The duck	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-12003-D	The beaver	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-12004-D	The caterpillar	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1' 4" / 0.4 m
LA-12005-D	The rabbit	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-12006-D	The bear	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-12007-D	The space scooter	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-12008-D	The submarine	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-13001-D	The plane	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m

#### **SPRING RIDERS**

- Models for one, two, four or ten riders (one, two, three or four springs)
- Different shapes available, including animals and vehicles
- Large selection of colours
- Anchored to the ground with a freestanding system; no need to pour concrete
- Pinch-free coil springs



#### "Cabin-type" single-rider models

	· · · · · · · · · · · · · · · · · · ·			
Model	Name	Age group	Surface area required	Fall height
LA-13002-D	The star	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-13003-D	The treasure chest	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-14001-D	The big-bang!	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-14002-D	The raft	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-14003-D	The solar system	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-14004-D	The musical harmony	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-14005-D	The convertible	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-15000-D	The wagon	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-15002-D	The lobster	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1' 4" / 0.4 m







LA-16003



LA-17000



LA-16001



LA-16007



LA-17001



LA-16002

LA-16009



LA-19000



#### "Cabin-type" single-rider models

Model	Name	Age group	Surface area required	Fall height
LA-16000	The frog	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-16001	The triceratops	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-16002	The horse	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-16003	The football	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-16007	The cow	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-16009	The fish	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-17000	The canoe	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-17001	The arts	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-19000	The baseball	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-20001	The bush	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1' 4" / 0.4 m
LA-20002	The strawberry	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1' 4" / 0.4 m
LA-20003	The car	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m
LA-22004	The raccoon	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m



8	

	Single-rider "bi	ke-type" mod	el		
	Model	Name	Age group	Surface area required	Fall height
5	LA-9205-D	The snowmobile	18 months to 5 years old	15' x 14' / 4.6 m x 4.3 m	1'4" / 0.4 m

\_A-9205-D



LA-21000



NEW

LA-21001

LA-21002

NEW



LA-21003

#### **Two-rider models**

Model	Name	Age group	Surface area required	Fall height
L-16004	The duetto teeter totter	18 months to 5 years old	18' x 14' / 5.5 m x 4.3 m	2' / 0.6 m
LA-16006	The eco-mobile spring rider	18 months to 5 years old	16' x 15' / 4.9 m x 4.6 m	2' / 0.6 m
LA-21000	The rorqual spring rider	18 months to 5 years old	16' x 15' / 4.9 m x 4.6 m	1'4" / 0.4 m
LA-21001	The lizard spring rider	18 months to 5 years old	16' x 15' / 4.9 m x 4.6 m	1'4" / 0.4 m
LA-21002	The seal spring rider	18 months to 5 years old	16' x 14' / 4.9 m x 4.3 m	1'4" / 0.4 m
LA-21003	The bull spring rider	18 months to 5 years old	16' x 15' / 4.9 m x 4.6 m	1'4" / 0.4 m







LA-16005

#### Four-rider models

Model	Name	Age group	Surface area required	Fall height
LA-16004	The quattro	18 months to 12 years old	17' x 17' / 5.2 m x 5.2 m	2' / 0.6 m
LA-16005	The mini quattro	18 months to 5 years old	16' x 16' / 4.9 m x 4.9 m	2' / 0.6 m



LA-16004

#### SPRING RIDERS (CONT'D)

#### THE ADVENTURERS

- Frame made of aluminum and galvanized steel
- Bodywork made of UV-treated high-density polyethylene (HDPE) panels coloured in the mass (10-year warranty)
- Stainless steel hardware (lifetime warranty)

- Aluminum parts coated with a UV-resistant Z-Series polyester powder
- Anti-pinch springs (2-year warranty)
- Anchored to the ground with a freestanding system; no need to pour concrete
- For children 18 months to 12 years old



LA-13004-D

LA-13005-D

LA-13006-D

LA-14000-D

#### The adventurers

Model	Name	Age group	Surface area required	Fall height
LA-13004-D	The fire truck	10	19' x 16' / 5.8 m x 4.9 m	2'6" / 0.8 m
LA-13005-D	The explorer	10	19' x 16' / 5.8 m x 4.9 m	2'6" / 0.8 m
LA-13006-D	The recycler	10	20' x 16' / 6.1 m x 4.9 m	2'6" / 0.8 m
LA-14000-D	The rover	10	20' x 16' / 6.1 m x 4.9 m	2'6" / 0.8 m
LA-14006-D	The trawler	10	20' x 16' / 6.1 m x 4.9 m	2'6" / 0.8 m



LA-14006-D



LA-14006-D





LA-16008-D

LA-16010

LA-16011

#### The adventurers

Model	Name	Age group	Surface area required	Fall height
LA-16008-D	The tractor	10	20' x 16' / 6.1 m x 4.9 m	2'6" / 0.8 m
LA-16010	The bus	10	20' x 16' / 6.1 m x 4.9 m	2'6" / 0.8 m
LA-16011	The locomotive	8	20' x 16' / 6.1 m x 4.9 m	2'6" / 0.8 m
LA-18000-D	The ice surfacer	10	20' x 16' / 6.1 m x 4.9 m	2'6" / 0.8 m
LA-19001	The rabaska	10	21' x 16' / 6.4 x 4.9 m	2' 6" / 0.8 m



LA-18000-D



LA-19001

## **GROUND LEVEL PLAY PANELS AND CREATIVE SPACES**

- UV-treated high-density polyethylene (HDPE) panels coloured in the mass (10-year warranty)
- Aluminium posts (lifetime warranty)
- Proven mechanisms



Shop from a selection of creative space products directly online at jambetteboutik.com.



The control panel 🔏 L-13012-A



 The non-verbal communication board
 Image: Second secon



The newtonian telescope








The round gears panel A



The explorer panel A



The chalkboard panel L-17013-A



#### GROUND LEVEL PLAY PANELS AND CREATIVE SPACES



Shop from a selection of creative space products directly online at jambetteboutik.com.

The sign language panel L-17032-B







The anthill manipulation panel L-18049



The find-the-pair panel L-18039-A









The manipulating gear panel L-17045-B



The driving station panel L-14000-A



The service station panel L-16060-B



The accessible marbles panel L-19021-B



The labyrinth on wheel panel L-20008-B



The three-in-a-row activity panel L-21001-B



The sensory curtain panel L-21062-B



The multitexture sensory panel L-22048-A




The workshop panel L-14030-A



#### **GROUND LEVEL PLAY PANELS AND CREATIVE SPACES**

An auditory and visual experience that will certainly add some entertainment



#### GROUND LEVEL PLAY PANELS AND CREATIVE SPACES (CONT'D)



Shop from a selection of creative space products directly online at jambetteboutik.com.







Model	Age group	Capacity	Size
A-20003	18 months to 12 years old	10	5' 3" x 4' 2" / 1.6 m x 1.3 m





#### The beach villa

Model	Age group	Capacity	Size
A-19000	18 months to 12 years old	10	5'3" x 4'2" / 1.6 m x 1.3 m







## The villa

Model	Age group	Capacity	Size
A-16000	18 months to 12 years old	10	5'3" x 4'2" / 1.6 m x 1.3 m





#### The forest villa

Model	Age group	Capacity	Size
A-17000	18 months to 12 years old	10	5'3" x 4'2" / 1.6 m x 1.3 m

A-16000

#### THE CRAFT TABLE

- Tabletop height of 22" / 0.55 m
- Seat height of 12" / 0.3 m
- Aluminum frame

- UV-treated, high-density polyethylene (HDPE) seats and tabletops with rounded edges (10-year warranty)
- Large selection of colours

LA-22000

- ${\boldsymbol{\cdot}}$  Easy to move; can also be anchored to the ground
- Opening in tabletop centre for parasol



#### The craft table

Model	Age group	Capacity	Size
LA-15001	18 months to 5 years old	12	5' 4" x 5' 4" / 1.6 m x 1.6 m
LA-22000 HPL model	18 months to 5 years old	12	5' 4" x 5' 4" / 1.6 m x 1.6 m



#### The accessible craft table

Model	Age group	Capacity	Size
LA-20000	18 months to 5 years old	9	5' 4" x 4' 4" / 1.6 m x 1.3 m
LA-22001 HPL model	18 months to 5 years old	9	5' 4" x 4' 4" / 1.6 m x 1.3 m

LA-22001



#### The kitchenette

Model	Age group	Capacity	Size
A-18000	18 months to 12 years old	6	3'11" x 2' / 1.2 m x 0.6 m

benci



#### The workbench

Model	Age group	Capacity	Size
A-21000	18 months to 12 years old	6	3' 11" x 2' / 1.2 m x 0.6 m

#### THE SENSORY MUSHROOM

Featuring a range of textures etched on the top, this equipment made of fibre-reinforced concrete fosters the development of children's sense of touch.




The sensory mushroom C-18001

The buddy bench H-16001



The waterlily tables LA-99201





#### The covered sandbox

Model	Age group	Capacity	Size
C-20001	18 months to 12 years old	8	8' 3" x 6' 7" x 6' 7" / 2.5 m x 2 m x 2 m





L-15010

#### L-15011 The sand diggers

Model	Age group	Size
L-15010	18 months to 12 years old	15' x 15' / 4.6 m x 4.6 m
L-15011	18 months to 12 years old	15' x 15' / 4.6 m x 4.6 m

#### **THE FINDS IN THE SAND**

- Durable concrete shape with no sharp edges
- To be installed flush with a sand surface



#### The finds in the sand

Model	Name	Age group	Capacity	Size
L-15020	Baby dino	18 months to 12 years old	3	4' 5" x 4' 5" / 1.3 m x 1.3 m
L-20024	Lost anchor	18 months to 12 years old	3	4' 5" x 4' 5" / 1.3 m x 1.3 m
	anonor	12 years old		1.0 11 X 1.0 11



#### The sand table



#### The sand boxes

Model	Capacity	Size
L-176X6	6	6' x 6' / 1.8 m x 1.8 m
L-178X8	8	8' x 8' / 2.4 m x 2.4 m
L-178X12	10	12' x 8' / 3.7 m x 2.4 m
L-1712X12	10	12' x 12' / 3.7 m x 3.7 m

#### **THE SAND STATIONS**

• Sand cascade with tethered pitcher to play with

- Play counter
- Two-seater bench
- Riding component (seal lion or flower)
- Ornament at the top of the post
- Steering wheel

#### The sand stations

Model Name Age group Capacity Size 8' 5" x 4' 2" / 2.6 m x 1.3 m 18 months to L-13017 Sea lion 9 12 years old 8' 5" x 4' 2" / 2.6 m x 1.3 m 18 months to L-13018 Flower 9 12 years old

#### THE HONEYCOMB SAND CASCADE

· Includes two tethered shovels to play with the sand



#### The honeycomb sand cascade

Model	Age group	Capacity	Size
L-14008	18 months to 12 years old	3	2' 8" x 2' 10" / 0.8 m x 0.9 m



L-13018

#### THE PAINT PANEL

- User-friendly, easy-to-clean polycarbonate panel
- Shelf with cut-outs to insert cups
- Large selection of colours

THE LOG TUNNEL

· Coloured in the mass

The log tunnel

Model

C-18000

• Anchored to the ground with a freestanding system; no need to pour concrete







• The look of wood and durability of concrete!

Made of fibre-reinforced 32 MPa concrete

Age group

18 months to

12 years old







C-16002

#### THE TOY BOX

- Made of UV-treated high-density polyethylene (HDPE) panels coloured in the mass (10-year warranty)
- Padlock latches for security
- $\boldsymbol{\cdot}$  Option to engrave the box with your logo and an emergency phone number
- Available in many colours

#### The toy box

Model	Name	Size (L x D x H)
C-16002*	Small	2' 2" x 3' 0" x 2' 0" / 0.7 m x 0.9 m x 0.6 m
C-17000*	Large	2' 6" x 4' 0" x 2' 6" / 0.8 m x 1.2 m x 0.8 m

\* The box is sold empty; it does not contain any play equipment.

#### THE TUNNEL

+ 2' / 0.6 m diameter high-density polyethylene (HDPE) tube

Anchored to the ground on a reinforced concrete footing (included)

Capacity

3

Surface area required

16' x 15' /

4.9 m x 4.6 m

Fall height

2'4"/

0.7 m

- Ultra-resistant polycarbonate portholes
- Large selection of colours
- Anchored to the ground with a freestanding system; no need to pour concrete



#### The 9' / 2.7 m caterpillar tunnel with portholes

Model	Age group	Capacity	Surface area required	Fall height
G-0108	18 months to 5 years old	3	20' 2" x 15' 2" / 6.2 m x 4.6 m	3' 10" / 1.2 m

#### THE TRAFFIC SAFETY SIGNS

- · Ideal for posting on a tricycle path (early childhood and daycare centres)
- High-density polyethylene (HDPE) signs with engraving
- For children 18 months to 5 years old
- Large selection of colours



## MUSICAL **INSTRUMENTS**

- Musical instruments with soft sounds
- Developed to be enjoyed in harmony with other playground users
- Simple, maintenance-free mechanisms







## The xylophone Model

L-18033-B

Make the scale ring

5

For budding young musicians, this xylophone actually plays the scale notes (C-D-E-F-G-A-B-C). This xylophone is tuned, so it produces harmonious sounds and can be used at a musical camp, for instance.

The rain s	tick
Model	
L-15045-B	Turn it and listen to the harmonious music

The dru	m 🎜
Model	
L-19085	Use your hands to create a multitude of rhythms

Move to the rhythms of this Indigenous-inspired drum. With this instrument, young and old alike will enjoy expressing their creativity while discovering First Nations traditions of the First Nations.



The oscilla-sound podium

Model	CSA surface area required	ASTM surface area required
G-15005	16' x 16' / 4.9 m x 4.9 m	14' x 14' / 4.3 m x 4.3 m
	Dance and listen	




	The sound of the river podium		
TM surface	Model	CSA surface	ASTM surface
ea required		area required	area required
14' x 14' /	G-16002	16' x 16' /	14' x 14' /
3 m x 4.3 m		4.9 m x 4.9 m	4.3 m x 4.3 m
		Dance and lister	1



L-18033-B







L-18031


#### The bongos

Model	
L-18031	Use your hands to create a multitude of rhythms

Artists' corner! Young and old alike will enjoy expressing their creativity while learning about percussion with this set of bongos.

The boreal rain stick	
Model	
L-16017-B	Turn it and listen to the

harmonious music





L-15046-B



The percu-sound	
Model	
L-15046-B	Tap lightly with your hands and create "new age" sounds

Model	
L-16018-B	Use your hands to creat a multitude of rhythms

7

## **SWING SETS**

#### THE ARCHED SWING SETS

- Z-series polyester powder painted steel frame
- Anti-wrap swing hangers (included)
- Choice of seats (extra)
- Large selection of colours
- For children 18 months to 12 years old (depending on the type of seats selected)





#### The arched swing sets\*

Model	Number of places	Height	Post tube diameter	Top bar tube diameter	Surface area required (CSA)	Surface area required (ASTM)	Fall height
L-06015	2	6' / 1.8 m	3.5" / 89 mm	2.375" / 60 mm	23' x 21' / 7 m x 6.4 m	25' x 25' / 7.6 m x 7.6 m	6'2" / 1.9 m
L-06023	4	6' / 1.8 m	3.5" / 89 mm	2.375" / 60 mm	35' x 21' / 10.7 m x 6.4 m	35' x 25' / 10.7 m x 7.6 m	6'2" / 1.9 m
L-06010	6	6' / 1.8 m	3.5" / 89 mm	2.375" / 60 mm	46' x 21' / 14 m x 6.4 m	46' x 25' / 14 m x 7.6 m	6'2" / 1.9 m
L-06011	8	6' / 1.8 m	3.5" / 89 mm	2.375" / 60 mm	57' x 21' / 17.4 m x 6.4 m	58' x 25' / 17.7 m x 7.6 m	6'2" / 1.9 m
L-06016	2	8' / 2.4 m	3.5" / 89 mm	2.375" / 60 mm	29' x 23' / 8.8 m x 7 m	33' x 24' / 10.1 m x 7.3 m	8' / 2.4 m
L-06014	4	8' / 2.4 m	3.5" / 89 mm	2.375" / 60 mm	35' x 29' / 10.7 m x 8.8 m	35' x 33' / 10.7 m x 10.1 m	8' / 2.4 m
L-06012	6	8' / 2.4 m	3.5" / 89 mm	2.375" / 60 mm	46' x 29' / 14 m x 8.8 m	46' x 33' / 14 m x 10.1 m	8' / 2.4 m
L-06013	8	8' / 2.4 m	3.5" / 89 mm	2.375" / 60 mm	57' x 29' / 17.4 m x 8.8 m	58' x 33' / 17.7 m x 10.1 m	8' / 2.4 m
L-21010	1	8' / 2.4 m	3.5" / 89 mm	3.5" / 89 mm	29' x 20' / 8.8 m x 6.1 m	33' x 21' / 10.1 m x 6.4 m	8'2" / 2.5 m
L-18017	3	8' / 2.4 m	3.5" / 89 mm	3.5" / 89 mm	32' x 29' / 9.8 m x 8.8 m	32' x 33' / 10.1 m x 9.8 m	8'2" / 2.5 m
L-18018	5	8' / 2.4 m	3.5" / 89 mm	3.5" / 89 mm	43' x 29' / 13.1 m x 8.8 m	44' x 33' / 13.4 m x 10.1 m	8' 2" / 2.5 m
L-18019	7	8' / 2.4 m	3.5" / 89 mm	3.5" / 89 mm	54' x 29' / 16.5 m x 8.8 m	55' x 33' / 16.8 m x 10.1 m	8' 2" / 2.5 m
*Seats not incl	uded. See our s	seats section on	page 208.				

#### THE STRAIGHT FRAME SWING SETS

- Z-series polyester powder painted steel frame
- Anti-wrap swing hangers (included)
- Choice of seats (extra)
- Large selection of colours
- For children 18 months to 12 years old (depending on the type of seats selected)



#### The straight frame swing sets\*

Model	Number of places	Height	Post tube diameter	Top bar tube diameter	Surface area required (CSA)	Surface area required (ASTM)	Fall height
L-07008	2	6' / 1.8 m	4.5" / 115 mm	2.375" / 60 mm	23' x 20' / 7 m x 6.1 m	24' x 24' / 7.3 m x 7.3 m	5' 11" / 1.8 m
L-07009	4	6' / 1.8 m	4.5" / 115 mm	2.375" / 60 mm	34' x 20' / 10.4 m x 6.1 m	35' x 24' / 10.7 m x 7.3 m	5'11" / 1.8 m
L-07010	6	6' / 1.8 m	4.5" / 115 mm	2.375" / 60 mm	45' x 20' / 13.7 m x 6.1 m	46' x 24' / 14 m x 7.3 m	5'11" / 1.8 m
L-22049	8	6' / 1.8 m	4.5" / 115 mm	2.375" / 60 mm	56' x 20' / 17.1 m x 6.1 m	57' x 24' / 17.4 m x 7.3 m	5'11" / 1.8 m
L-07011	2	8' / 2.4 m	4.5" / 115 mm	2.375" / 60 mm	28' x 23' / 8.5 m x 7 m	32' x 24' / 9.8 m x 7.3 m	7'11" / 2.4 m
L-07012	4	8' / 2.4 m	4.5" / 115 mm	2.375" / 60 mm	34' x 28' / 10.4 m x 8.5 m	35' x 32' / 10.7 m x 9.8 m	7'11" / 2.4 m
L-07013	6	8' / 2.4 m	4.5" / 115 mm	2.375" / 60 mm	45' x 28' / 13.7 m x 8.5 m	46' x 32' / 14 m x 9.8 m	7'11" / 2.4 m
L-07014	8	8' / 2.4 m	4.5" / 115 mm	2.375" / 60 mm	56' x 28' / 17.1 m x 8.5 m	57' x 32' / 17.4 m x 9.8 m	7'11" / 2.4 m
L-22004	1	8' / 2.4 m	3.5" / 89 mm	2.375" / 60 mm	28' x 20' / 8.5 m x 6.1 m	32' x 21' / 9.8 m x 6.4 m	8'2" / 2.5 m
L-21079	3	8' / 2.4 m	3.5" / 89 mm	2.375" / 60 mm	32' x 28' / 9.8 m x 8.5 m	32' x 32' / 9.8 m x 9.8 m	8'2" / 2.5 m
L-22001	5	8' / 2.4 m	3.5" / 89 mm	2.375" / 60 mm	43' x 28' / 13.1 m x 8.5 m	43' x 32' / 13.1 m x 9.8 m	8'2" / 2.5 m
L-22005	7	8' / 2.4 m	3.5" / 89 mm	2.375" / 60 mm	53' x 28' / 16.2 m x 8.5 m	54' x 32' / 16.5 m x 9.8 m	8'2" / 2.5 m

\*Seats not included. See our seats section on page 208.

#### THE TRIANGULAR BASE SWING SETS

- Hot-dipped galvanized steel frame
- Anti-wrap swing hangers (included)
- Choice of seats (extra)
- For children 18 months to 12 years old (depending on the type of seats selected)



#### The triangular base swing sets\*

Model	Number of places	Height	Post tube diameter	Top bar tube diameter	Surface area required (CSA)	Surface area required (ASTM)	Fall height
L-0720-A02B	2	8' / 2.4 m	2.375" / 60 mm	2.375" / 60 mm	28' x 23' / 8.5 m x 7 m	32' x 32' / 9.8 m x 9.8 m	8' / 2.4 m
L-0720-AO4B	4	8' / 2.4 m	2.375" / 60 mm	2.375" / 60 mm	34' x 28' / 10.4 m x 8.5 m	43' x 32' / 13.1 m x 9.8 m	8' / 2.4 m
L-0720-A06B	6	8' / 2.4 m	2.375" / 60 mm	2.375" / 60 mm	45' x 28' / 13.7 m x 8.5 m	54' x 32' / 16.2 m x 9.8 m	8' / 2.4 m
L-0720-A08B	8	8' / 2.4 m	2.375" / 60 mm	2.375" / 60 mm	56' x 28' / 17.1 m x 8.5 m	65' x 32' / 19.8 m x 9.8 m	8' / 2.4 m
L-0720-A010B	10	8' / 2.4 m	2.375" / 60 mm	2.375" / 60 mm	56' x 28' / 21 m x 8.5 m	75' x 32' / 22.9 m x 9.8 m	8' / 2.4 m
L-0720-A012B	12	8' / 2.4 m	2.375" / 60 mm	2.375" / 60 mm	78' x 28' / 23.8 m x 8.5 m	86' x 32' / 26.2 m x 9.8 m	8' / 2.4 m
L-0720-BO2B	2	10' / 3 m	2.375" / 60 mm	2.375" / 60 mm	36' x 23' / 11 m x 7 m	40' x 33' / 12.2 m x 10.1 m	9'10" / 3 m
L-0720-BO4B	4	10' / 3 m	2.375" / 60 mm	2.375" / 60 mm	36' x 34' / 11 m x 10.7 m	44' x 40' / 13.4 m x 12.2 m	9'10" / 3 m
L-0720-B06B	6	10' / 3 m	2.375" / 60 mm	2.375" / 60 mm	46' x 36' / 14 m x 11 m	55' x 40' / 16.8 m x 12.2 m	9'10" / 3 m
L-0720-B08B	8	10' / 3 m	2.375" / 60 mm	2.375" / 60 mm	57' x 36' / 17.4 m x 11 m	68' x 40' / 20.1 m x 12.2 m	9'10" / 3 m
L-0720-B010B	10	10' / 3 m	2.375" / 60 mm	2.375" / 60 mm	68' x 36' / 20.7 m x 11 m	77' x 40' / 23.5 m x 12.2 m	9'10" / 3 m
L-0720-B012B	12	10' / 3 m	2.375" / 60 mm	2.375" / 60 mm	81' x 36' / 24.7 m x 11 m	87' x 40' / 26.5 m x 12.2 m	9'10" / 3 m

\* Seats not included. See our seats section on page 208.

#### THE ETNA SWING SET

- Hot-dipped galvanized steel frame with polyester powder coating
- Stainless steel swing hangers
- Aluminum seat with rubber shock-absorbing covering





#### The Etna Trapp\*

Model	Name	Age group	Capacity	CSA surface area required	ASTM surface area required	Fall height
GX-07069	Etna Trapp-1	18 months to 12 years old	4	22' x 19' / 6.7 m x 5.8 m	26' x 22' / 7.9 m x 6.7 m	6'8" / 2.04 m
GX-07070	Etna Trapp-2	18 months to 12 years old	8	31' x 22' / 9.4 m x 6.7 m	31' x 27" / 9.4 m x 8.2 m	6'8" / 2.04 m

\* The only seat available is the model shown.

#### The hybrid Etna Trapp swing

Model	Name	Age group	Capacity	CSA surface area required	Fall height
GX-18002	Hybrid Etna Trapp	18 months to 12 years old	8	46' x 30' / 9.1 m x 14 m	3' / 0.9 m







#### The accessible wheelchair swing set

Model	Age group	Capacity	Surface area required	CSA surface area required	ASTM surface area required	Fall height
L-19086	18 months to 12 years old	1	34' x 17' / 10.4 m x 5.2 m	19' x 17' / 5.8 m x 5.2 m	24' x 23' / 7.3 m x 7 m	8'8" / 2.6 m

#### THE SWING SEATS



Shop from a selection of swing accessories directly online at jambetteboutik.com.





S-045

S-042





S-047

S-2156



S-18000





S-19001

S-21001

#### The baby seat

Model

```
    • Pre-moulded high-density polyethylene (HDPE)
    • Fasteners (shackles) for attaching the suspension chains; assembly tools included
```

#### The child seat (rigid model)

#### Model

S-045	<ul> <li>One piece of aluminum covered in vulcanized rubber</li> <li>Fasteners (shackles) for attaching the suspension chains; assembly tools included</li> </ul>

#### The adult seat (rigid model)

Model	
S-047	<ul> <li>One piece of aluminum covered in vulcanized rubber</li> <li>Fasteners (shackles) for attaching the suspension chains; assembly tools included</li> </ul>

#### The belt seat (belt model)

Model	
S-2156	<ul> <li>One piece of stainless steel with cast rubber covering</li> <li>Fasteners (shackles) for attaching the suspension chains; assembly tools included</li> </ul>

#### The rotomoulded adaptive swing seat 🚮

Model	
S-18000	<ul> <li>Offers a unique experience to children with impaired mobility</li> <li>Equipped with a safety harness</li> </ul>


#### The Echo seat

Model	
S-19001	<ul> <li>A swing seat for a young child and an adult or or a young child and an older child to enjoy special moments of closeness</li> <li>Can support the weight of one adult and one child</li> <li>Must be installed on its own bay, on a swing set of 8' or over</li> </ul>


### The Echo baby seat **NEW**



A swing seat for two young children to enjoy special moments of closeness
Must be installed on its own bay, on a swing set of 8' or over



## BALL GAMES SOCCER GOALS AND NETS



#### THE GAGA BALL PIT

- UV-treated high-density polyethylene (HDPE) panels coloured in the mass (10-year warranty)
- Aluminium posts (lifetime warranty)
- Stainless steel hardware (lifetime warranty)

#### The gagas ball pits 🔏

Model	Name	Age group	Capacity	Size
J-19001	16' 6" Gaga ball pit	5 to 12 years old	8	17' x 17' / 5.2 m x 5.2 m
J-19002	22' Gaga ball pit	5 to 12 years old	12	22' x 22' / 6.8 m x 6.8 m
J-19003	27' Gaga ball pit	5 to 12 years old	16	28' x 28' / 8.5 m x 8.5 m

## Jambette Boutik

Shop from a selection of sports field equipment directly online at jambetteboutik.com.

#### THE PUNCHING BALLS

- Genuine leather balls with a quality rubber bladder
- Maintenance-free high-density polyethylene (HDPE) ball-bearings
- Balls attached with leather straps
- +  $1^{11}\!/_{16}$  " / 43 mm diameter galvanized steel posts and top bar

#### The punching balls

Model	Age group	Height	Number of sections	Number of balls
L-0009	5 to 12 years old	4' and 5'	2	4
L-0216	5 to 12 years old	4'	2	4
L-0222	5 to 12 years old	4', 5' and 6'	3	6
L-9210-B2	5 to 12 years old	6'	1	2
L-9410-B4	5 to 12 years old	5'	2	4
L-9813-B2	5 to 12 years old	4'	1	2
L-9902	5 to 12 years old	6'	2	4
L-16023	5 to 12 years old	5' and 6'	4	8
L-99212	5 to 12 years old	5'	1	2

Balls included





#### THE BASKETBALLS

- Soundproof high-density polyethylene (HDPE) fan-shaped backboards
- Very robust steel basket rim
- Rust-treated chain nets
- Hot-dipped galvanized steel poles
- For children 5 to 12 years old


Products delivered may differ slightly from shown in the pictures on this page.



The gooseneck basketball J-18000



The wall-mounted basketball J-18002



The straight post basketball J-18001

## SOCCER GOALS AND NETS

- Aluminum frame
- Anchoring system (extra)
- Selection of nets



#### The toddler sports unit

Model	
J-18004	Designed specifically for tiny tots, the toddler sports unit combines soccer (or hockey) and basketball.



#### The soccer goals\*

Model	Dimensions on the ground
J-18003	8' x 5' / 2.4 m x 1.5 m
J-17000	18' x 6' 6" / 5.5 m x 2 m
J-11000	24' x 8' / 7.3 m x 2.4 m

\* Anchorings included. Nets not included.

#### The soccer goal nets (sold in pairs)

· · · · · · · · · · · · · · · · · · ·		
Model	Goal model	Type of wire
S-2712	J-18003	0.08" / 2 mm
S-2950	J-17000	0.08" / 2 mm
S-2951	J-11000	0.08" / 2 mm

## MULTISPORT AREAS

An entirely new concept created by Jambette's experts with endless possibilities! Soccer, basketball, volleyball, ball hockey... you decide! Choose from a dozen panels featuring games of skill or competition. With this standalone playground equipment concept, two spaces of physical activity can be enjoyed: a multisport court or a set of activity panels. Physical education facilities, day camps and neighbourhoods teaming with teenagers and youth looking to have fun outdoors: Müel is decidedly the modern way to challenge today's youth!






#### The ultimate sportsfield MU-16010-B

- 16 activity panels
- 2 soccer goals 12' (3.6 m) wide with polyethylene nets
- 2 ultra-robust basketball hoops

#### To complete your layout, the following items are also available:

- A Scoreboard connecting two players' benches (MU-16011-B)
- B Volleyball net with removable posts (V-211204)
- C (1) 8' x 5' junior soccer goal (without a net) (J-18003)
- D 8' x 5' (2 mm) junior soccer goal nets (2 per package) (S-2712)
- Volleyball post storage bracket (S-2919)





# **Park Furnishings**

H-15000

125557555

H-13019

H-14000

## **CLASSIC** Jazz

- Easy set-up, few parts to be assembled
- Choice of colours
- Polyethylene panels
- Painted aluminum



Shop your park furnishings directly online at jambetteboutik.com.



The bench with backrest H-14000



The backless bench H-14002

The 5' table with standard panels **H-15000** 



The 6' table with ultra-robust panels H-15002



The accessible table 👸





#### The single-sided tables

These trendy furnishings are great for an outdoor classroom or any other contemporary park space design. Two tables can be set up face to face or side by side, as required. In addition, the table top has one or two clever double notches for hanging backpacks, caps, etc.

- Painted aluminum frames and table tops
- Large selection of colours
- Seats available in high-density polyethylene (HDPE) or high-pressure laminate (HPL)
- Stainless steel hardware



The 1-seater single-sided table **H-22000** 




The 2-seater single-sided table **H-22001** 



## 

A brand-new look for your park. Introducing furnishings that will fit perfectly with your playground equipment! With the wooden look of these elements, you can design playful spaces sure to appeal to children and adults alike.



#### The game tables



The chessboard table **H-17000** 

The snakes and ladders table **H-20002** 

#### The bike racks



The 3-bike model **H-13018** 





#### The waste management containers (wмc)

Waste • Recycling • Composting



WASTE Closed model (With swing door) H-13013



WASTE Open model **H-13012** 

RECYCLING Open model **H-18000** 



WASTE, RECYCLING 2-container model **H-13034** 



COMPOSTING, RECYCLING, WASTE 3-container model **H-13035** 

NEW



WASTE Open model **H-21003** HPL model



NEW

RECYCLING Open model **H-21004** HPL model



NEW

WASTE Closed model **H-21005** HPL model



WASTE, RECYCLING 2-container model H-21006 HPL model



COMPOSTING, RECYCLING, WASTE 3-container model **H-21007** HPL model

## About Us TECHNICAL INFORMATION

LAD-ANN

TI

\$

MULLING

## **ABOUT JAMBETTE**

## Your quality Canadian manufacturer since 1983



Some 100 employees High-spirited, talented and passionate, they are the heart of Jambette.



North American materials



## **Full service**

- Design
- Consulting
- Installation
- Mobile unit (service available in Quebec only)

# CitipleX

## **Top-quality components**



**Canadian aluminum** Lifetime warranty



UV-treated high-density polyethylene (HDPE) panels 10-year warranty



Stainless steel hardware Lifetime warranty



HPL panels (wooden look) 10-year warranty



Translucent acrylic resin panels 5-year warranty



**Rubber straps** 2-year warranty

## **PRODUCTION PROCESS**

Jambette spares no effort and displays ingenuity to provide cutting-edge design products of unparalleled quality in the market. We have a proven production process; playground users are delighted with our finished products, which keep children playing for years!



## **Moulded components**

**Steps** 1 Preparation 2 Finishing



## **Aluminum and steel**

### Steps

- 1 Cutting
- 2 Forming
- 3 Assembly
- 4 Surface preparation
- 5 Application of polyester powder coating



Special coatings Step 1 Dipping and fusion



## **Panels**

Steps 1 Cutting 2 Finishing



## **Final steps**

### Steps

- 1 Preassembly
- 2 Packaging
- 3 Delivery
- 4 Installation

## **All-around safety**

When Jambette products are designed, more than 200 different tests are conducted to optimize safety. At Jambette, safety is more than a duty, it's an attitude.



**Openings without any** risk of head or body entrapment

CERTIFIED



Solid foot supports




Adequate hand grips



#### Hazardous protusions eliminated







The International Play Equipment Manufacturers Association (IPEMA) provides a third-party certification to ensure product compliance to specific ASTM and/or CSA standards. Each product promoted in this material, if certified by IPEMA, includes the name and model number for you to search the IPEMA website for verification.

To verify product certification, visit **www.ipema.org** and conduct a search.





## **ANCHORING SYSTEM**

- Unique, approved stringer system
- The best-suited system for the Canadian climate, with outstanding performance through the freeze and thaw cycle
- Significantly shorter installation time


## **Hot-dipped galvanized steel**

For playground equipment exposed to harsher weather and environmental conditions, Jambette has developed a unique formula: a version of its products designed specifically to withstand the weather and atmospheric conditions that prevail in Canada's coastal regions.

Coastal conditions have been known for a long time to be among the most punishing in the world for man-made structures. Besides the wind, rain, snow and ice, saltwater is the main threat to seaside infrastructure, such as ships, port facilities, buildings and public facilities.

Jambette has developed a design technique and a selection of materials and finishes to optimize product durability in such conditions.

**The Seaside Solution** is also a cost-effective and feasible solution if you have or plan to install playground equipment in areas with high levels of salt in the air, even in non-coastal areas like along roadways heavily treated with ice-melting abrasives in winter.



237

## PARTS AND ACCESSORIES

We have an efficient parts supply service. This means that you can do any maintenance or repairs needed yourself. Since we manufacture our own products, we ensure the quality and availability of our components. Contact one of our experts today!





#### The polyethylene borders

Model	Length
C-16000	4' / 1.2 m
C-16001	6' / 1.8 m

## The galvanized steel anchoring rod

S-2389



Jambette is pleased to offer its customers the online option to shop from a selection of replacement parts and accessories and small products at **jambetteboutik.com**. Visit us online today!

## COLOURS AND GALVANIZING

Many colour choices and possibilities

Model for information purposes



## COLOURS AND GALVANIZING


- A Metal elements
- **B** Moulded elements
- C Panels and additional elements
- **D** Climbing grips

Actual colours may vary from the colours shown above.



## MANY COLOUR CHOICES





\*This color is not available for tunnels and cylindrical slides.



\* Should you select the Seaside Solution, you only need to choose a colour for the play structure posts, as all other metal components are hot-dipped galvanized.

hot-dipped galvanized

Actual colours may vary from the colours shown above.

C - Panels and additional elements



## THE MOST COMPREHENSIVE WARRANTIES ON THE MARKET

#### **JAMBETTE\***

Aluminum parts Hardware	Lifetime
Swing hangers Steel parts	15 years
High-density polyethylene (HDPE) parts Recycled plastic parts Plastisol parts Wooden-look high-pressure laminate (HPL) parts Stainless steel slide decks**	10 years
Polyester/steel cables Steel/polyethylene cables	5 years
Factory labour Polycarbonate parts Galvanized steel perforated panels (vertical and floor panels) Translucent acrylic resin panels Swing seats	5 years
Climbing grips Electronic components	3 years
Other parts Springs for spring riders	2 years
Concrete products	1 year

#### **SPECIALIZED CABLE STRUCTURES**

#### AND ETNA SWINGS Pages 186 and 207

Aluminum and stainless steel posts Cast aluminum	Lifetime
Tubular aluminum and steel components Aluminum and stainless steel connectors Glued-laminated wooden elements Nylon rollers and ring joining parts on rotating climbers	10 years
PVC-covered steel bridges Cable breakage Rubber seats or mats included in net designs Glass fibre reinforced concrete (GFRC)	5 years
Aluminum Etna seat components	2 years
Rubber bumpers for Etna seats	1 year



#### JAMBETTE PLAYGROUND EQUIPMENT INC. TERMS OF SALE:

Payment terms may vary depending on the situation. Upon request by JAMBETTE RECREATIONAL EQUIPMENT INC., an account may be opened to allow for a net 30-day payment term. Any outstanding balance shall bear interest at the rate of 2% per month (24% per year). Any return of goods must first be approved by our representative. The goods shall be returned within 10 days of approval and in perfect condition. In which case, the customer returning the said goods agrees to pay an administration and handling fee of 20% of the value of the goods. In addition, all the work and charges involved in taking apart the products, restoring the former site and packaging and shipping the said products are at the expense and under the responsibility of the customer. Customized products and installation and landscaping work fees are not refundable. Customers shall produce their invoices upon request. Customers acknowledge that JAMBETTE RECREATIONAL EQUIPMENT INC, shall not be held liable for any circumstances beyond its control and that its liability shall be limited to the price paid by the customers for the goods in question. The parties agree that this agreement shall be interpreted under the laws of the Province of Québec and the parties elect domicile in the judicial district of Québec, Province of Québec, Canada. Should an account need to be referred to a collection agency or a lawyer due to a customers failure to pay, the customer agrees to pay, in addition to the balance due, collection fees equivalent to twenty percent (20%) of the balance due in capital and interest.

#### \* Warranty details and terms are available upon request. \*\* Regressively

We reserve the right to change the design and specifications of our products and the details of our services and warranties without prior notice.



700, rue des Calfats Lévis, Québec G6Y 9E6 Canada

Tel: 418-837-8246 Toll free: 1-877-363-2687 Fax: 418-837-2916

#### jambette.com

We reserve the right to change product features, prices and service details without prior notice. RBQ LICENCE: 8330-7280-51

#### MADE IN CANADA



This logo identifies products that are wheelchair accessible in accordance with Appendix H of the CAN/CSA-Z614 standard and the **Americans with Disabilities Act Accessibility Guidelines (ADAAG).** 





To verify product certification, visit www.ipema.org



The International Play Equipment Manufacturers Association (IPEMA) provides third-party

certification to ensure public play equipment and surfacing material product compliance with specific ASTM and/or CSA standards. Each product promoted in this flyer, if certified by IPEMA, includes the name and model number for you to search the IPEMA website for verification purposes.

To verify product certification, visit **www.ipema.org** and conduct a search.



Jambette is pleased to invite customers to shop online from a selection of parts, replacement accessories and small products at

bisscomm.com

#### jambetteboutik.com

Come and visit our online shop!